

小买设计

小买设计

NOTE: All colours shown in this brochure are as close to the actual product colours as modern technical printing process allows. It is necessary to refer to the actual product colours.



Sennorwell Carpet

Tel: +971 56811168 / +971 544771239

Email: info@beitalkareema.com

Add: 5 17A St, Al Khabaisi, Dubai P.O.Box 10776

Sennorwell

FLOOR COVERING
CARPET

2025



FLOOR COVERING
CARPET



KAREEMA

小买设计



INDEX

01-06 Axminster Series

07-12 Nylon Printed Carpet Series

13-36 Tufted Carpet Series

37-76 Carpet Tile Series

77-78 Wilton Rugs

79-108 Carpet Gallery

109-110 Carpet Accessories


111-112 Certificate

Why Kareema?

Why Sennorwell?

Kareema Industry Inc. is a leading provider of all kinds of building materials. As a leading exporter in China, we are able to provide you satisfying one stop solution service. For example: a) A series of building materials supplied b) A whole set service: Production design/Sample/Production/ Shipment/After service.

As one of Kareema's most famous brand, Sennorwell carpets could provide you a wide range of quality and price on different markets. You can choose different materials for your carpets, such as PP BCF, acrylic, nylon, polyester, wool (blend), with advanced world levels, computerized jacquard, high cut and low loop-pile or high and low loop-pile design and pattern. Sennorwell carpets will always meet all the demands of those customers who appreciate better things.




Description: Axminster
Yarn: 80% Wool + 20% Nylon
Pile Height: 7.5mm
Stitch Length: 7x7/7x8/7x9/7x10/7x11/7x12
Wide: 3.63/3.66/4m
Long: 25/30m

Axminster Carpet

Space, is not only the sediment of ideal, but also the display of personality



AH001



AH695



Axminster Carpet

Space, is not only the sediment of ideal, but also the display of personality



AH003



AH601



AH004



AH725



AH623



AH005



AH635



AH669



AH631

AH006

Axminster Carpet

Space, is not only the sediment of ideal, but also the display of personality

*Customized Size



K008 K019 K043 K015 K016 K050 H330J H330L
K084

017B



K008 K019 K043 K015 K016 K050 H330J H330L

017R



K008 K019 K043 K015 K016 K050 H330J H330L

017Y



K008 K019 K043 K040 K016 K050

025R



K008 K019 K043 K040 K016 K050

025Y



K008 K019 K043 K040 K016 K050

108R

小买设计


KAREEMA Carpet | 05-06
小买设计

Nylon Printed Carpet

Space spread with hearts,activate the housing atmosphere,calm and safely thinking shows comfortable life style.



3D1017-G360



3C472-G340

Description:Nylon Printed Carpet

Yarn:100%Nylon

Construction:Cut Pile

Pile Height:4.5mm/6mm/7mm/9mm/14mm

Pile Weight:450g/m²;550g/m²;850g/m²;1100g/m²;1780g/m²


Wide:4m

Long:25/30m




Nylon Printed Carpet


Space spread with hearts, activate the housing atmosphere, calm and safely thinking shows comfortable life style.



3A029-G060



3A029-G050



3C013-G050



3C013-G040



Nylon Printed Carpet

Space spread with hearts, activate the housing atmosphere, calm and safely thinking shows comfortable life style.



3C012-G020



3C012-G040



3H086-G050




3H086-G040



Tufted Carpet

Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem or dream.



DescriptionsTufted Carpet
Materials:poethylene (pP)
Sttch length5/32
PieHeight5.5mm
Pile Weight:460g/m
Wide 4m
Long 25/30m

小买设计
小买设计

Tufted Carpet

Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem or dream.



Description: Tufted Carpet

Materials: polyethylene(PP).

Pile Height: 16.5mm

Pile Weight: 1950g/m²



KT01



KT02




KT04



KT05

Tufted Carpet


Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem or dream.



CT001 CT002 CT005 CT006



CT01 CT02 CT05 CT06



CT581 CT582 CT583 CT586



CT3901 CT3902

Tufted Carpet

Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem or dream.



CT2601



CT2602



CT2605



CT2606



CT2607



CT2608



CT2701



CT2602



CT2606



小买设计

Tufted Carpet

Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem or dream.



CE01



CE02



CE04




CE05




CE51



CE52




CD38



CD36



CD35



小买设计

小买设计

小买设计

Tufted Carpet

Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem or dream.




KD131

KD133

KD136

KD139



KD141

KD142

KD143

KD144



KD151

KD152

KD153

KD154



KD161

KD162

KD163

KD164



KD111

KD113

KD116

KD119

Tufted Carpet

Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem or dream.



KD212



KD213



KD215



KD216



KD218



KD219



KD261



KD262



KD265



KD266





Tufted Carpet

Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem or dream.



KD271 KD272 KD275 KD276



KD221 KD222 KD225
KD226 KD227 KD228
KD231 KD232 KD235
KD236 KD237 KD238

Tufted Carpet

Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem
Or dream.



KG01



KG02



KG03



KG04



Tufted Carpet

Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem or dream.



KT21

KT22

KT25

KT26




Kt1001

Kt1002

Kt1005

Kt1006



KT1101

KT1102

KT1105

KT1106



KT01

KTO2

KT04



KT05

KTO7

KT08



Tufted Carpet

Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem or dream.



Tufted Carpet


Smooth and unordered interweaves are just like the train of thought, reality or fairyland, poem or dream.



Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration


*Stock Available



PPT6301



PPT6302



PPT6303




PPT6305


Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration


*Stock Available




PPT5101



PPT5102



PPT5103




PPT5105



PPT5016




PPT5111




PPT5112



PPT5113



PPT5115




PPT5116

Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration


*StockAvailable



LPT6501



LPT6502



LPT6503



LPT6505

小买设计


小买设计

小买设计


Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration


*StockAvailable



PPT4301



PPT4303



PPT4307



PPT4310


Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration


*Stock Available



LPT6101



LPT6102



LPT6103




LPT6105



LPT6106



LPT6107



LPT6108



LPT6109



Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration

*Stock Available




LPT6901-1




LPT6901-2



LPT6901-3




LPT6902-1



LPT6902-2



LPT6902-3



LPT6903-1



LPT6903-2



LPT6903-3



LPT6905-1



LPT6905-2



LPT6905-3




Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration

*Stock Available




LPT7001




LPT7002



LPT7003



LPT7005



LPT7006



LPT7007

小买设计

小买设计

小买设计


小买设计



Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration


*Stock Available




PPT5501




PPT5502



PPT5502



PPT5503



PPT5503



PPT5511

Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration

*Stock Available



PPT6701



PPT6702



PPT6703



PPT6705



PPT6801



PPT6802



PPT6803



PPT6805



PPT6601



PPT6602



PPT6603



PPT6605



PPT6606




PPT6607

Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration

*Stock Available



PPT5001



PPT5003



PPT5005



PPT5006



PPT5007



PPT5008



PPT5009



PPT5010



PPT5011



PPT5012



PPT5013



PPT5016

Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration

*Production by Order,MOQ:2000sqm




PNT5901



PNT5902



PNT5903



PNT5905



PNT5906



PNT5907

Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration


*Production by Order, MOQ: 2000sqm



PPT5701



PPT5702



PPT5703



PPT5705

Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration

*Production by Order,MOQ:2000sqm



PPT5801



PPT5802



PPT5805



PPT5806

小买设计

KAREEMA Carpet |61-62
小买设计

Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion, and guide the trend of family decoration


*Production by Order,MOQ:2000sqm



PPT5401




PPT5401



PPT5402



PPT5403



PPT5408


Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration

*Production by Order,MOQ:2000sqm



PPT5202



PPT5203



PPT5205



PPT5208

小买设计

小买设计

小买设计

KAREEMA / Carpet |65-66

Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration

*Production by Order,MOQ:2000sqm



PPT1309



PPT1301



PPT1303



PPT1307

小买设计

小买设计

小买设计

KAREEMA Carpet |67-68



5101



5102



5103



5104



Description:Carpet Tile
Materials:PP
Pile Height:3mm
Pile Weight:500g/m²
Size:60.96cmX60.96cm


Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration

Description:Carpet Tile
Materials:PP
Pile Height:5.5/4.5/2.5mm
Pile Weight:600g/m²
Size:60.96cmX60.96cm




5401



5405




5406



5409

Installation Way



Description:Carpet Tile

Materials:PP


Pile Height:5.5/4.5/2.5mm

Pile Weight:650g/m²


Size:60.96cmX60.96cm

Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration



UPT1301



UPT1303

Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration




Carpet Tile

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration



Description: Carpet Tile
Materials:Nylon
Pile Height:7/4.5/3mm
Pile Weight:850g/m²
Size:60.96cmX60.96cm



小买设计

小买设计

Wilton Rugs

Mix the subtle control to the details,lead every opus to the front of fashion,and guide the trend of family decoration



WKST11Y




WKST18B



WKST18R



WKST18Y




WKST163



WKST811



WKST01B



WKST01R



WKST04R



WKST04Y




WKST05R




WKST05Y



WKST10B



WKST10R



WKST11R

Ballroom Project



小头设计 3R072-40

KAREEMA Carpet | 79-80
小头设计

Ballroom Project



3R610-40




3T459-41



3V094-44

Corridors


Corridor Project



OD963-G360

OD967-G360

Corridor Project



OD966-G360



OD959-G360

KAREEMA Carpet | 85-86

小买设计

小买设计

Corridor Project



5605



小买设计

KAREEMA Carpet | 87-88
小买设计

Guestroom Project



设计
买设
小



小头设计

KAREEMA Carpet |89-90
小买设计

小买设计

小买设计

Guestroom Project



小买设计

小买设计

小买设计

KAREEMA Carpet | 91-92

Public Area Project



3D155-G360



小头设计 3D114-G040

KAREEMA Carpet | 93-94
小买设计

Public Area Project



3D982-G360

设计
、买设
小



小头设计 31316-G360

KAREEMA Carpet | 95-96
小头设计

Public Area Project



Apartment Project



3B097-G020

C3D135-G050

小买设计

Apartment Project



3J010-G060

Commercial Project




3D960-G360



Commercial Project




3H042-G030



OE044-G010






H105C H107C H105E H107F

OE044-G010

小买设计


KAREEMA Carpet |105-106
小买设计

Office Project



小买设计

KAREEMA Carpet |107-108
小买设计



Accessories

Carpet Pad:

We choose natural rubber as primary material, which matches various carpet material, to give your carpet more bouncing-back feeling and superior underfoot sense.

Usage notice: Avoid exposure to the sun, placing with hard substance, or pressing. Suitable for place kept out of the sun. Prevent hard drawing or holding so as to avoid damage.

All Sennorwell carpets pad has:

- 1) Passed the inspection of National Fire equipment Quality Supervision and Inspection Center and complied with the B1 standard
- 2) Passed the inspection of National Environmental Protection Product Quality Supervision and Inspection Center and complied with the B standard



TACK STRIP/GRIPPER

The carpet gripper also named Tack Strip. There are six types of gripping nails for each item. They are Standard Concrete Nail, Heavy Duty Concrete Nail, Standard Wood Nail, Heavy Duty Wood Nail, Dual Purpose Nail and Elastic Nail. Different types of nail suits different types of sub-floor and carpets.

Specifications we usually offer

- 22mmx5mmx1220mm
- 25mmx5mmx1220mm

Packing: 100 pcs/Box.



Carpet Seam Tape:

With stable quality, environmentally safe and moderate bonding strength, the products are made of advanced imported adhesive. They are resistant to high temperature, strong flexibility and not easy to split. They are widely used for bonding the carpet seam. The seam carpet is integrated with the knitted. It is infinitely difficult to find the seam. Apartment becomes more gorgeous.



小买设计 Certificate

SEBO TEST REPORT

SEBO TESTING
Technical Services
International Compliance Management

Ref NO.: S140610019

Part II: The discrepancy of products

Models: 550g/m², 620g/m², 820g/m², 1000g/m², 1100g/m², 1200g/m², 1380g/m², 1780g/m²
Test model: 820g/m²
Difference: different weight, height

Pictures of sample



13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32

SHANGHAI SEBO EQUIPMENT TESTING & TECHNICAL CO., LTD.
TEL: +86-21-64530258 FAX: +86-21-64530768
ADD: 2-301, Lane 58, East Rujin Rd, Minhang District, Shanghai, China
http://www.sebo.com.cn E-mail: service@sebo.com.cn

4 / 11

SEBO TESTING
Technical Services
International Compliance Management

Ref NO.: S140610019

Part III: Check List

Note: Test case verdict:
Pass = Pass, Fail = Fail, N/A = Not applicable.

Class	Requirement - test	Verdict
1	the characteristics of the product, including its composition, packaging, instructions for assembly and, where applicable, for installation and maintenance;	Pass
2	the effect on other products, where it is reasonably foreseeable that it will be used with other products;	Pass
3	the presentation of the product, the labeling, any warnings and instructions for its use and disposal and any other indication or information regarding the product;	Pass
4	The categories of consumers at risk when using the product, in particular children and the elderly;	Pass
5	Producers shall be obliged to place only safe products on the market.	Pass
6	A product shall be deemed safe, as far as the aspects covered by the relevant national legislation are concerned, when, in the absence of specific Community provisions governing the safety of the product in question, it conforms to the specific rules of national law of the Member State in whose territory the product is marketed, such rules being drawn up in conformity with the Treaty, and in particular Articles 29 and 30 thereof, and laying down the health and safety requirements which the product must satisfy in order to be marketed.	Pass
7	A product shall be presumed safe as far as the risks and risk categories covered by relevant national standards are concerned when it conforms to voluntary national standards transposing European standards, the references of which have been published by the Commission in the Official Journal of the European Communities in accordance with Article 4. The Member States shall publish the references of such national standards.	Pass
8	In circumstances other than those referred to in paragraph 2, the conformity of a product to the general safety requirement shall be assessed by taking into account the following elements:	Pass

SHANGHAI SEBO EQUIPMENT TESTING & TECHNICAL CO., LTD.
TEL: +86-21-64530258 FAX: +86-21-64530768
ADD: 2-301, Lane 58, East Rujin Rd, Minhang District, Shanghai, China
http://www.sebo.com.cn E-mail: service@sebo.com.cn

5 / 11

SEBO TEST REPORT

SEBO TESTING
Technical Services
International Compliance Management

Ref NO.: S140610019

Appendix: Test report for Reaction to fire No. SHCCM14050049

I. Test conducted
This test was conducted as per EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements—Part 1: Classification using data from reaction to fire tests. And the test methods as following:
1. EN ISO 9239-1:2010 Reaction to fire tests for floorings—Part 1: Determination of the burning behaviour using a radiant heat source;
2. EN ISO 11925-2:2010 Reaction to fire tests—Ignitability of building products subjected to direct impingement of flame—Part 2: Single flame source test.

II. Details of classified product
Description
Color Printed nylon: Yellow;
Mass per unit area Printed nylon: About 2.18kg/m².

Mounting and fixing:
Fire cement board, with its density approximately 1800kg/m³, thickness approximate 8mm, is as the substrate. The test specimens are fixed mechanically to the substrate. No joint in the long wong.

III. Test results
Printed nylon

Test method	Parameter	Number of tests	Results
EN ISO 9239-1	Critical flux (kW/m ²) Smoke (%/minutes)	3	7.3 173
EN ISO 11925-2	Exposure = 15 s F _p ≤ 150 mm	6	YES

IV. Classification and direct field of application
This classification has been carried out in accordance with EN 13501-1:2007+A1:2009
a) Classification:
The product, Printed nylon, classification is as following:
Fire behaviour — Smoke production
C_{s1} — s₁

Reaction to fire classification: C_{s1} - s₁

SHANGHAI SEBO EQUIPMENT TESTING & TECHNICAL CO., LTD.
TEL: +86-21-64530258 FAX: +86-21-64530768
ADD: 2-301, Lane 58, East Rujin Rd, Minhang District, Shanghai, China
http://www.sebo.com.cn E-mail: service@sebo.com.cn

11 / 11

SEBO TESTING
Technical Services
International Compliance Management

Ref NO.: S140610019

Part V: Declaration of Performance

Declaration of Performance

No. 2014001

1. Unique identification code (1) No. product type: NYLON CARPET 1000g/m², 1380g/m², 1780g/m², 1100g/m², 1200g/m², 620g/m², 550g/m², 820g/m².

2. Manufacturer: JINXIU INDUSTRY CO., LTD., NORTH MEDICAL ROAD, SHENZHEN 418001, HENAN PROVINCE, CHINA.

3. Authorisation certificate number: 104.

4. Subject to control of assessment and verification of conformity of the manufacturer product as set out in Construction Products Regulation (EU) 2010/107, Annex 1, paragraph 4.

5. Harmonised standard: EN 14041:2004 + AC:2006.

Harmonised technical specification: EN 14041:2004 + AC:2006.

6. Declared performance:

Declared characteristic	Performance	Harmonised technical specification
Reaction to fire (C _{s1})	Not declared	EN 14041:2004 + AC:2006
Flame spread (S ₁)	Not declared	EN 14041:2004 + AC:2006
Smoke density (SD ₁)	Not declared	EN 14041:2004 + AC:2006
Acoustic absorption (α _w)	Not declared	EN 14041:2004 + AC:2006

The performance of the product modified above is in conformity with the set of declared performance. The manufacturer of performance is marked in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer's technical data.

Signed for and on behalf of the manufacturer by:
Name: JINXIU INDUSTRY CO., LTD.
Signature: JINXIU INDUSTRY CO., LTD.
Date of issue: 2014.11.11
Signature: JINXIU INDUSTRY CO., LTD.

SHANGHAI SEBO EQUIPMENT TESTING & TECHNICAL CO., LTD.
TEL: +86-21-64530258 FAX: +86-21-64530768
ADD: 2-301, Lane 58, East Rujin Rd, Minhang District, Shanghai, China
http://www.sebo.com.cn E-mail: service@sebo.com.cn

11 / 11

CE CERTIFICATE

SEBO TESTING
Technical Services
International Compliance Management

Ref NO.: S140610020

Class	Requirement - test	Verdict
13.1	an indication, by means of the product or its packaging, of the identity and details of the producer and the product reference or, where applicable, the batch of products to which it belongs, except where not to give such indication is justified and	Pass
13.2	in all cases where appropriate, the carrying out of sample testing of marketed products, investigating and, if necessary, keeping a register of complaints and keeping distributors informed of such monitoring;	Pass
14	Action such as that referred to in (b) of the third subparagraph shall be undertaken on a voluntary basis or at the request of the competent authorities in accordance with Article 18(1)(b). Recall shall take place as a last resort, where other measures would not suffice to prevent the risks involved, in instances where the producers consider it necessary or where they are obliged to do so further to a measure taken by the competent authority. It may be effected within the framework of codes of good practice on the matter in the Member State concerned, where such codes exist.	Pass
15	Distributors shall be required to act with due care to help to ensure compliance with the applicable safety requirements, in particular by not supplying products which they know or should have presumed, on the basis of the information in their possession and as professionals, do not comply with those requirements. Moreover, within the limits of their respective activities, they shall participate in monitoring the safety of products placed on the market, especially by passing on information on product risks, keeping and providing the documentation necessary for tracing the origin of products, and cooperating in the action taken by producers and competent authorities to avoid the risks. Within the limits of their respective activities they shall take measures enabling them to cooperate efficiently.	Pass
16	Where producers and distributors know or ought to know, on the basis of the information in their possession and as professionals, that a product that they have placed on the market poses risks to the consumer that are incompatible with the general safety requirement, they shall	Pass

SHANGHAI SEBO EQUIPMENT TESTING & TECHNICAL CO., LTD.
TEL: +86-21-64530258 FAX: +86-21-64530768
ADD: 2-301, Lane 58, East Rujin Rd, Minhang District, Shanghai, China
http://www.sebo.com.cn E-mail: service@sebo.com.cn

7 / 11

SEBO TESTING
Technical Services
International Compliance Management

Ref NO.: S140610019

Part IV: Test report

EN 14041:2004+AC:2006

Test report No. ZZH02014061001

Name	NYLON CARPET	Specification	820g/m ² , 7mm
No.	Test Item	Required	Test Result
1	Reaction to fire	—	C _{s1} - s ₁
2	Content of pentachlorophenol (PCP)	<5 ppm	Not detected
3	Formaldehyde emission	E1 or E2	Not detected
4	Slip resistance	If a claim for slip resistance is made, the floor covering intended to be used in dry and non-contaminated conditions shall have a dynamic coefficient of friction of ≥ 0.30 when tested ex-factory under dry conditions in accordance with EN 13893 and shall be declared as technical class DS.	0.50 Class DS
5	Static electricity	The body voltage, measured in accordance with ISO 6136 for textile floor coverings, shall not exceed 2.0 kV when tested at 23 °C ± 1 °C and (25 ± 2) % relative humidity after conditioning the test specimens in the same atmosphere for seven days.	Pass

Remark Accepted

SHANGHAI SEBO EQUIPMENT TESTING & TECHNICAL CO., LTD.
TEL: +86-21-64530258 FAX: +86-21-64530768
ADD: 2-301, Lane 58, East Rujin Rd, Minhang District, Shanghai, China
http://www.sebo.com.cn E-mail: service@sebo.com.cn

9 / 11

Dedal Attestation & Certification

CERTIFICATE

of Conformity No. 016

NYLON CARPET - 550g/m², 620g/m², 820g/m², 1000g/m², 1100g/m², 1200g/m², 1380g/m², 1780g/m²
REACTION TO FIRE CLASS C_{s1}-S₁

produced by the manufacturer
Yekalon Industry, Inc. 3rd floor, Flat A, Jinxiu Building,
Wenjin Middle Road, Shenzhen city
and produced in the manufacturing plant of
Yekalon Industry, Inc. 3rd floor, Flat A, Jinxiu Building,
Wenjin Middle Road, Shenzhen city

"Dedal - Attestation and Certification" Ltd., as an European Third Party Authority, verifies that on the basis of the results of the review of the Factory Production Control Documentation and Initial Type Testing of the products:
NYLON CARPET - 550g/m², 620g/m², 820g/m², 1000g/m², 1100g/m², 1200g/m², 1380g/m², 1780g/m² with tested characteristics acc. to test reports No. ZZH02014060001 from 10.06.2014 and No. SHCCM14050049 from 04.06.2014 (System of Attestation of Conformity 4, acc. to Regulation 305/2010, Construction Products), corresponds to the requirements of the following standard:
EN 14041:2004+AC:2006

The manufacturer can proceed with the CE marking with the obligation to issue a Declaration of Performance.
All modifications to the Technical File should be submitted to the Third Party Inspection Authority to ensure further validity of this attestation.

CE

Manager: *Isacrusba*
Date: 20 June 2014
www.dedal-cert.com

Dedal Attestation & Certification

CERTIFICATE

of Conformity No. 017

WOOL AXMINSTER CARPET - AH 7-7, AH 7-8, AH 7-9, AH 7-10, AH 7-11, AH 7-12
REACTION TO FIRE CLASS B_{s1}-S₁

produced by the manufacturer
Yekalon Industry, Inc. 3rd floor, Flat A, Jinxiu Building,
Wenjin Middle Road, Shenzhen city
and produced in the manufacturing plant of
Yekalon Industry, Inc. 3rd floor, Flat A, Jinxiu Building,
Wenjin Middle Road, Shenzhen city

"Dedal - Attestation and Certification" Ltd., as an European Third Party Authority, verifies that on the basis of the results of the review of the Factory Production Control Documentation and Initial Type Testing of the products:
WOOL AXMINSTER CARPET - AH 7-7, AH 7-8, AH 7-9, AH 7-10, AH 7-11, AH 7-12 with tested characteristics acc. to test reports No. ZZH02014060002 from 10.06.2014 and No. SHCCM14050049 from 04.06.2014 (System of Attestation of Conformity 4, acc. to Regulation 305/2010, Construction Products), corresponds to the requirements of the following standard:
EN 14041:2004+AC:2006

The manufacturer can proceed with the CE marking with the obligation to issue a Declaration of Performance.
All modifications to the Technical File should be submitted to the Third Party Inspection Authority to ensure further validity of this attestation.

CE

Manager: *Isacrusba*
Date: 20 June 2014
www.dedal-cert.com