PRODUCT STRUCTURE

DETAIL OF PRODUCT

THICKEN PRYING RESISTANT FRAME

HEAT TRANSFER TREATMENT ON SURFACE



HIGH QUALITY HANDLE

HIGH QUALITY HANDLE

STAINLESS STEEL DOOR SILL

EXTRA LOCK POINT ON DOOR SIDE

MULITY POINT LOCK SYSTEM

HIGH QUALITY CYLINDER



LOCK PLATE

DOOR VIEWER



EXTRA LOCK POINT ON TOP AND BOTTOM



SEALING

STAINLESS STEEL DOOR SILL WITH CUSTOMIZED LOGO

Steel Door

HJS-107

Polymer seamless edge sealing technology

No blisters
No peeled off painting

Modern Security



HJS-110

Avaiable Size:
2380*860/960mm
2480*860/960mm
2580*860/960mm
2680*860/960mm
2780*860/960mm

Mother & Son door
2050*1180mm

Double Door
2050*1480mm

Single door:
2050*860/960mm
2100*860/960mm

HJS-102

HJS-105

HJS-104

HJS-212

HJS-106

HJS-211

HJS-109

Avaiable Size:
2380*860/960mm
2480*860/960mm
2580*860/960mm
2680*860/960mm
2780*860/960mm

Mother & Son door
2050*1180mm

Double Door
2050*1480mm

HJS-214

HJS-436

HJS-218

HJS-440

HJS-217

HJS-213



HJS-108

Avaiable Size:
2380*860/960mm
2480*860/960mm
2580*860/960mm
2680*860/960mm

Mother & Son door
2050*1180mm

Double Door
2050*1480mm



DESIGN DETAIL

821

Lock : High quality anti-explosion lock
Handle: Main door lock with big handle
Color: Custiomized color
Hinge: Stainless steel hinge
Size: 2050*960/1180mm
Infilling: Fire-proof material infilling

HIGH QUALITY ANTI-EXPLOSION LOCK POIN

8211

Lock : High quality anti-explosion lock
Handle: Main door lock with big handle
Color: Custiomized color
Hinge: Stainless steel hinge
Size: 2050*960/1180mm
Infilling: Fire-proof material infilling

FIRE-PROOF MATERIAL INFILLING

821A

Lock : High quality anti-explosion lock
Handle: Main door lock with big handle
Color: Custiomized color
Hinge: Stainless steel hinge
Size: 2050*960/1180mm
Infilling: Fire-proof material infilling

C LEVEL KEY CYLINDER

8211A

Lock : High quality anti-explosion lock
Handle: Main door lock with big handle
Color: Custiomized color
Hinge: Stainless steel hinge
Size: 2050*960/1180mm
Infilling: Fire-proof material infilling

803



805



806

806A

807

Lock: High quality handle with lock
Size: 2050*860/960/1180
Frame with one side fixed cassing
Opening direction: RHI/LHI/RHO/LHO

807A

Lock: High quality handle with lock
Size: 2050*860/960/1180
Frame with one side fixed cassing
Opening direction: RHI/LHI/RHO/LHO

EXPLOS I ON-PROOF LOCK

3D HEAT TRANSFER TREATMENT



808

Lock: High quality handle with lock
Size: 2050*860/960/1180
Frame with one side fixed cassing
Opening direction: RHI/LHI/RHO/LHO

808A

Lock: High quality handle with lock
Size: 2050*860/960/1180
Frame with one side fixed cassing
Opening direction: RHI/LHI/RHO/LHO



EXPLOS I ON-PROOF LOCK

3D HEAT TRANSFER TREATMENT

809

Lock: High quality handle with lock
Size: 2050*860/960/1180
Frame with one side fixed cassing
Opening direction: RHI/LHI/RHO/LHO

809A

Lock: High quality handle with lock
Size: 2050*1200, Mother & Son door
Frame with one side fixed cassing
Opening direction: DRI/DLI/DRO/DLO



3D HEAT TRANSFER TREATMENT

HI GH QUALITY CYLINDER KEY

812

Lock: High quality handle with lock
Size: 2050*860/960/1180
Frame with one side fixed cassing
Opening direction: RHI/LHI/RHO/LHO

812A

Lock: High quality handle with lock
Size: 2050*1200, Mother & Son door
Frame with one side fixed cassing
Opening direction: DRI/DLI/DRO/DLO

810

Lock: High quality handle with lock
Size: 2050*860/960/1180
Frame with one side fixed cassing
Opening direction: RHI/LHI/RHO/LHO

811

Lock: High quality handle with lock
Size: 2050*1200, Mother & Son door
Frame with one side fixed cassing
Opening direction: DRI/DLI/DRO/DLO

SECURITY HINGE

STAINLESS STEEL LOCK POINT

813

Lock: Explosion-proof lock
Size:1970/2150/2400/2500/2600*860/960/
2050*860/960
Frame with one side fixed cassing
Opening direction: RHI/LHI/RHO/LHO



815

Lock: High quality handle with lock
Size: 2050*860/960/ 1970*860/960
Frame with one side fixed cassing
Opening direction: RHI/LHI/RHO/LHO

816

Lock: High quality handle with lock
Size: 2050*860/960/ 1970*860/960
Frame with one side fixed cassing
Opening direction: RHI/LHI/RHO/LHO

817

Lock: High quality handle with lock
Size:1970*860/960 2050*860/960/1050/1180
2150*860/960, Mother & Son door
Frame with one side fixed cassing
Opening direction: DRI/DLI/DRO/DLO

818

Lock: Turning explosion-proof lock
Size:1970/2050*860/960,
2050*1180 Mother & Son door
Frame with one side fixed cassing
Opening direction: DRI/DLI/DRO/DLO



819

Lock: High quality handle with lock
Size:2050*860/960, Mother & Son door
Frame with one side fixed cassing
Opening direction: DRI/DLI/DRO/DLO

820

Lock: High quality handle with lock
Size: 2050*860/960, Mother & Son door
Frame with one side fixed cassing
Opening direction: DRI/DLI/DRO/DLO

822

Lock: High quality handle with lock
Size: 1970/2050*860/960, Mother & Son door
Frame with one side fixed cassing
Opening direction: DRI/DLI/DRO/DLO



823

Lock: High quality handle with lock
Size:2050*860/960, Mother & Son door
Frame with one side fixed cassing
Opening direction: DRI/DLI/DRO/DLO

825

826

827

828

829

830

831

832

833

835