


Vinyl Floor Tile Laminate Flooring/Stone/Tile/Wood&Bamboo Flooring/Door& Window/Staircase&Railing/Curtain Wall/Kitchen Cabinet/Vanity/Sanitary Ware.

NOTE:All colours shown in this brochure are as close to the actual product colours as modern technical printing process allows.It is necessary to refer to the actual product colours.



A Subsidiary of Kareema Group

Tel: +971 56811168 / +971 544771239

Email: info@beitalkareema.com

Add: 5 17A St, Al Khabaisi, Dubai P.O.Box 10776



VINYL FLOOR TILE

2024-2025 Selection




WHY KAREEMA?

WHY BERGEIM

Kareema Group has nearly 20 years of experience in construction materials. As a professional manufacturer of vinyl flooring, we have a good reputation in this field. Our products are exported to around 200 countries and regions all over the world.

Kareema Group have implemented a strict and complete quality control system, which ensures that each product can best meet customers' quality requirements. Besides, all of our products have been strictly inspected before shipment. We have attained ISO9001, ISO1400 certification for our management system. The certificate for CE, DIBT, & FLOOR SCORE are also available.

Kareema Group will commit to make "BERGEIM" brand a worldwide well-known brand both on the international and domestic market for providing high quality and eco-friendly products for every customer.



[Factory View](#) **01**

[Pvc Recommendation For Projects](#) **03**

[Product Categories](#) **04**

Luxury PVC Design

01. Wood collection
02. Rocky collection
03. Carpet collection **05**

Cozy PVC Design

Wood collection **31**

[ZARA Series](#) **52**

[Edge Finish](#) **56**

[Surface Texture](#) **57**

[Technical Data](#) **64**

FACTORY VIEW



PVC RECOMMENDATION

FOR PROJECTS



Areas	PVC Vinyl Flooring
Shopping mall	1 Various Color Selection
	2 Sound-Proof
	3 Super Wearable
Office	1 Comfortable Foot feeling
	2Anti-noisy
	3 Super Wearable
	4 Durable &Easy Maintenance
Library&Coffee Bar	1 Sound-Proof
	2100%Water-Proof
	3 Comfortable Foot feeling
	4 Quicker Replacement
	5 Super Wearable
Bedroom&Living Room	1 Comfortable Foot feeling
	2 Eco-friendly,healthy life
	3 Sound-Proof
	4Anti-Bacteria
	4Anti-Slip,Safety Guarder
Purchasing Cost	1 Material Cost
	2 Installation Cost
	3 Shipping cost



PRODUCT CATEGORIES



- 01

WPC Click
- 02

Normal Dry Back
- 03

Peel And Stick
- 04

Loose Lay
- 05

LVT Click
- 06

SPC

Our certification



LUXURY PVC

01

Wood Collection

- ◆100%virgin materials,
- ◆100%water-Proof
- ◆ Available Size:6"×36";6"×48";7"×48";9"×48"
- ◆ Available Thickness:2mm;2.5mm,3mm
- ◆Available Wear Layer:0.1mm;0.2mm;0.3mm,0.5mm,0.7mm
- ◆Also available for click system:4mm &5mm



WOOD COLLECTION

CLASSIC SURFACE

Classic Surface



YJHW1364

BP☒

NWG☒

Handseraped☐

sawtooth☐

Classic Surface



YJHW1299

BP☒

NWG☒

Hand Scraped☐

Sawtooth☐

Classic Surface



YJHW1330
BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐

KAREEMA
Classic Surface



YJHW1328
BP ☐ NWG ☐ Hand ☐ Scraped ☒ Sawtooth ☐

Classic Surface



YJHW1327
BP ☐ NwG ☐ Hand Scraped ☐ Sawtooth ☒

Wood Collection



YJHW1364 BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐



YJHW1298 BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐



YJHW1302 BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐



YJHW1304 BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐



YJHW1301 BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐



YJHW1300 BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐



YAW1438 BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐



YJHW1019 BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐



YJHW5006-1 BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐



YJHW1305 BP ☐ NWG ☐ Hand Scraped ☒ Sawtooth ☐



YJHW1333 BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐



YJHW1296 BP ☒ NWG ☒ Hand Scraped ☐ Sawtooth ☐

WOOD COLLECTION

EIR SURFACE

Beyond Series



YJHW1320

Wood Collection



YJHW1307



YJHW1306



YJHW1308



YJHW1310

Master Series



YJHW1317

Wood Collection



YJHW1315



YJHW1312



YJHW1311

Recolor Series



YJHW132
2

19Mmfloosm
e

Wood Collection



YJHW1326



YJHW1325



YJHW1323



YJHW1324

Victoria Series



YJHW1318

Wood Collection



YJHW6151-4



YJHW1313



YJHW1331



LUXURY PVC

02

Rocky Collection

	100% Virgin material, 100% water-proof	
Without click system	Popular Sizes	18"18";12"*24".
	Available Thickness	2mm;2.5mm;3mm;4mm;5mm.
	Available Wear Layer	0.1mm;0.2mm;0.3mm;0.5mm0.7mm.
With click system	Popular Sizes	12"*24".
	Available Thickness	4mm;5mm.
	Available Wear Layer	0.1mm;0.2mm;0.3mm;0.5mm;0.7mm.



YJHS2134

Slate Series

YJHS2127

Rocky collection



YJHS2125



YJHS2123



YJHS2124



YJHS2128

Leather Series



YJHS2136



JH-J001

LUXURY PVC

03

Carpet Collection

	100%Virgin material,100%water-proof	
Without click system	Popular Sizes	18**18";12**24".
	Available Thickness	2mm;2.5mm;3mm;4mm;5mm.
	Available Wear Layer	0.1mm;0.2mm;0.3mm;0.5mm;0.7mm
With click system	Popular Sizes	12"24".
	Available Thickness	4mm;5mm.
	Available Wear Layer	0.1mm;0.2mm;0.3mm;0.5mm;0.7mm.

YJHT1300



YJHT1291



YJHT1290



YJHT1289

COZY PVC DESIGN

Wood collection

	80%Virgin material,20%recycled material,100%water-proof	
Without click system	Popular Sizes	6''*36'';7''*48'';9''*48''18''*18'';12''*24''.
	Available Thickness	2mm;2.5mm;3mm;4mm;5mm.
	Available Wear Layer	0.1mm;0.2mm;0.3mm;0.5mm;0.7mm.
With click system	Popular Sizes	6''*36'';6''*48'';7*48''12''*24''.
	Available Thickness	4mm;5mm.
	Available Wear Layer	0.1mm;0.2mm;0.3mm;0.5mm;0.7mm.



wood Collection

KAREEMA
Classic Surface



YXHW1380

Wood Collection



Classic Surface

YXHW10-9

Wood Collection



YXHW1388

Wood Collection

Classic Surface

YCW1122

Wood Collection

Classic Surface

YXHW1335

Wood Collection



YXHW1345

Classic Surface Collection

wood

YJHW1362

Wood Collection

Classic Surface

YXHW1363

Wood Collection

 **KAREEMA**
Classic Surface



YXHW1367

Classic Surface



YJHW1294

BP☑ NWG☑ Hand Scraped☐ Sawtooth ☐


Wood Collection



YXHW1361



YXHW1357



YXHW1368



YXHW1346

Wood Collection

Classic Surface

YBW1494

Wood Collection

KAREEMA
Classic Surface

YXHW1382

Wood Collection

Classic Surface

YBW1495

Wood Collection



YXHW1384

Wood Collection

Classic Surface



YXHW5387A-6

Wood Collection



YXHW1364



YXHW1358



YJHW1315



YXHW1356



YXHW1348



YXHW1355



YXHW1347



YXHW1344



YBW1495

Wood Collection

Classic Surface



YXHW1355



YXHW1336



YBW1496



YXHW1342



YXHW1354



YBW1503



YXHW1360



YXHW1351



YBW1484

Wood Collection

Classic Surface



YXHW1353



YXHW1350



YXHW5387A-6



YXHW1352



YXHW1338



YBW1475



YXHW1362



YXHW1365



YXHW1360

Wood Collection

Classic Surface



YBW1491



YBW1492




YBW1493



YXHW1419



YAW1411



YXHW1383



YBW1477



YBW1479



YBW1481



YJHW1329



YCW1119



YCW1115

Wood Collection

Classic Surface



YCW1122



YCW1123



YCW1124



YCW1125



YCW1126



YCW1120

Classic Surface

Wood Collection



YBW1489



YCW1127



YCW1128



YCW1129



YCW1130



YCW1131

Wood Collection

Classic Surface



YCW1135



YCW1136



YCW1137



YCW1132




YCW1133




YCW1134

EDGE
FINISH



Straight Edge



Grout Line



Round Edge



Bevel Edge



SURFACE TEXTURE



NWG Classic Surface



Hand scraped Classic Surface



BP Classic Surface



Beyond EIR



Recolor EIR



Master EIR



Victoria EIR



Registered Embossed 2



Registered Embossed 1



SPC FLOORING


UV Coating

Wear Layer

Decoration

Regid Core

Soft Vinyl Balance




With Click

Thickness(mm)	Wear Layer(mm)			
3.2	0.1	0.2	0.3	
4.0	0.1	0.2	0.3	0.5
5.0	0.2	0.3	0.5	0.7
Popular Sizes(inch&mm)	6"*36"(150*912mm);6"*48"(144*1209mm); 7"*48"(180*1230mm);12"*24"(300*600mm)			

*All colors in this brochure is intended for this product.



WPC Click




With Click For WPC flooring

Thickness(mm)	Wear Layer(mm)				
6.5	0.2	0.3	0.55		
7	0.2	0.3	0.55	0.7	
8	0.2	0.3	0.55	0.7	1
Popular Sizes (inch&mm)	176*1230mm;220*1230mm;178*1218mm;225*1218mm;				

*All colors in this brochure is intended for this product.



Normal dry back




With Glue

Thickness(mm)	Wear Layer(mm)					
2	0.07	0.1	0.2	0.3		
2.5	0.07	0.1	0.2	0.3	0.55	
3	0.07	0.1	0.2	0.3	0.55	0.7
Popular Sizes (inch&mm)	6"*36"(152.4*914.4mm);6"*48"(152.4*1219.2mm)7"*48"(177.8*1219.2mm);					

*All colors in this brochure is intended for this product.




Peel And Stick




With Glue

Thickness(mm)	Wear Layer(mm)					
1.5	0.07					
2	0.07	0.1	0.2	0.3		
2.5	0.07	0.1	0.2	0.3	0.55	
3	0.07	0.1	0.2	0.3	0.55	0.7
Popular Sizes (inch&mm)	6"*36"(152.4*914.4mm);6"*48"(152.4*1219.2mm)7"*48"(177.8*1219.2mm); 9"*48"(228.6*1219.2mm)12"*12"(304.8*304.8mm); 18"*18"(457.2*457.2mm)12"*24"(304.8*609.6);24"*24"(609.6*609.6mm)					

*All colors in this brochure is intended for this product.



Loose Lay



Loose Lay


Thickness(mm)	Wear Layer(mm)					
4	0.2	0.3	0.5			
5	0.2	0.3	0.5	0.7		
Popular Sizes (inch&mm)	7"*48"(177.8*1219.2mm);9"*48"(228.6*1219.2mm) 18"*18"(457.2*457.2mm)					

*All colors in this brochure is intended for this product.

TECHNICAL DATA



LVT Click




With Click

Thickness(mm)	Wear Layer(mm)					
3.2	0.1	0.2	0.3			
4		0.2	0.3	0.55	0.7	
5		0.2	0.3	0.55	0.7	1
Popular Sizes (inch&mm)	5.7"*35.7"(144.8*906.8mm);8.7"*47.7"(221*1211.6mm) 11.7"*23.7"(297.2*602mm);					

*All colors in this brochure is intended for this product.

CHARACTERISTICS		TEST METHOD	RESULT
Surface Treatment			UV
	Dimension	EN427	15.24×91.44 cm
	Thickness-Overall	EN 428	
	Thickness-Wear layers	EN429	
	Peeling strength of layers	EN 431	Pass
	Shear forces of layers	EN 432	Good
	Residual indentation after static load	EN433	≤0.3mm
	Dimension stability	EN 434	Shrinkage≤0.25% Curling ≤2 mm
	Flexibility-10mm mandrel	EN435	No Damage
	Wear resistance	EN660ASTM F510	≤2.0 mm ³
	Toxic	EN71 part3	Complies
	Color fastness to light	EN ISO105-B02	≥6
	Resistance to Fire	ASTM E84-03	NFPA ClassA
	Slip resistance	DIN 51130	R10
	Bearing a castor chair	EN 425	Suitable
	Resistance to chemicals	EN 423ASTM F925	Class 0
	Performance classification	EN685	32
	GB/T 4085 GB 8624 B1		Pass
CNS 8907			Pass



BEIT AL KAREEMA GENERAL TRADING LLC

5 17A St, Al Khabaisi, Dubai P.O.Box 10776

Email: info@beitalkareema.com

Phone: +971568111688/+971544771239