


ISO9001

ISO14001



NOTE : All colours shown in this brochure are as close to the actual product colours as modern technical printing process allows. it is necessary to refer to the actual product colours

LAMINATE Laminate Flooring 2024-2025 Selection



LAMINATE FLOORING

2024-2025 Selection

1 warp-Resistant

-40c~42℃ Extreme temperature test



2 Separation-Resistant

Endure the pulling force within 1200KG



3 Gap-Resistant

Smart Groove Design



Say goodbye to the flooring problems

Bergeim Floors are exported to around 200 countries and regions all over the world. With the vision of a pioneer, Bergeim Floors brings a new standard for flooring industry. It applies a patented 3R Tap&Go locking technology, which conquers the multiple problems of floors, such as separation, gapping and warping problems. So Bergeim Floors will be more stable, more durable and more eco-friendly than normal floors. With 3R Tap&Go locking technology, Bergeim Floors will help you say goodbye to the flooring problems!

INDEX

Unique Surface And Edge	01-02
NEW Arrivals	03-04
PSU Series	05-08
GRI Series	09-10
Spring Series	11-12
Premium Series	13-14
Petrus Series	15-16
Europa Series	17-18
Reno Series	19-20
Pradoo Series	21-22
Magic Series	23-24
Grande Series	25-26
Lavi Series	27-28
Bejork Series	29-30
Homie Series	31-32
V-g Elegant Series	33-42
Elegant Series	43-48
Fancy&ease Series	49-54
Tap&go Locking System	55-62
Quality Laminate Flooring	63-64




WHY KAREEMA? WHY BERGEIM?


As the leader in the laminate flooring industry in China, Kareema provides a legendary selections as many as you pride yourself on your home. Kareema also designed one innovative Tap & Go locking system, which makes laminate flooring continuously available to the customers worldwide.

As one of the most popular brand Of KAREEMA INDUSTRY INC, BERGEIM laminate flooring create you warm and environmentally elegant interior with high quality, affordable products. Bergeim laminate flooring is consistent, we literally take in the raw wood and ship out the finished products with seriously control over the entire manufacturing process. Bergeim flooring meets all the demands of those customers who appreciate better things.

Classic Texture




Special Texture (EIR)



Technology for Edge

Edge...



Create a Unique

Look...



YKL6035-305

NEW Arrivals

- Laminate Flooring
- Tap & Go lock system
- Overlay: AC4
- HDF: E1 standard ,brown core;
- Size: 1200*197*12.3mm
- With Wax-tech, v-groove, NEW surface



YKL9005-3



YKL9005-4



YKL9011-1



YKL9011-2



YKL9012-3



YKL9017-4



YKL9017-5



YKL6035-202



PSU001 Andes oak



PSU003 Legacy oak

PSU Series


GRI EIR

- **Available thickness:** 8.2mm, 12.3mm
- **Available length & Width:** 1200x197mm

PSU Series contain Effortlessly stylish and premium art Select wood collection ,brings the natural beauty to life in your home.Expect our most suthentic designs and realistic embossed,handcrafted to reflect unique patterns and textures of real wood.Precious and individual,each of our art select flooring tells its own story.



PSU003 Legacy Oak



PSU001 Andes Oak



PSU-008 Makko Oak



PSU-010 Summer Oak



PSU-008 Makko Oak



PSU-010 Summer Oak



PSU-004 Hickory Oak



PSU-004 Hickory Oak

Colors for GRI Series



GRI01 Light Yellow Oak

GRI Series

GRI EIR

- **Available thickness:** 8.2mm, 12.3mm
- **Available length & Width:** 1200x197mm

By the gentle EIR and the Tale like Oak Design, you could enjoy a Castle life feeling by our Wood Oak design. Enjoying a Grimms Fairy Tales Life.



GRI-02 Dark Oak



GRI-03 Grey Oak

Colors for Spring Series



SPR-84 Winter Oak



SPR-84 Winter Oak



SPR-81 Spring Oak



SPR-83 Autumn Oak

Spring Series

Spring EIR

- Available thickness: 8.2mm, 12.3mm
- Available length & Width: 1200x197mm

The Spring series floor will surely give you the spring feeling with natural grain, smooth surface yet competitive price! It's really wonderful and will bring you into a real seasonal forest environment.

Colors for Premium Series

PRE61 Ochre Oak

Premium Series


Premium EIR

Available thickness: 8.2mm, 12.3mm;
Available Length & Width:
1200x197mm, 1200X127mm, 1210X167mm

Imported paper with natural E.I.R surface, with closed wood texture, European design, and elegant wooden life. Which is a highly recommended product.



PRE63 Cream Oak



PRE64 Ochre Oak

Colors for Petrus Series



PRS-06 Light Maple

Petrus Series

Petrus EIR

- Available thickness: 12.3mm
- Available length & Width: 1200x197mm

If you want a surefire way to improve the look, durability and value of your home or apartment, Petrus Series laminate flooring are the way to go. The Petrus collection floor well meets the preferences and tastes of the homeowners who love exquisite life.



PRS-04 Grey Maple



PRS-07 Dark Maple



PRS-08 Queen Maple

Europa Series

Europa EIR

- Available thickness: 12.3mm
- Available length & Width:
1210x167mm,1200x197mm ,2000x197mm

Miraculously mixing European classic culture together with post-modern vitality. The unique Europacollection will bring you into the most bizarre world and enjoy the wonderful life through delicate and super real texture.

EUR-815 Makko Oak

Colors for Europa Series



EUR-813 Chocolate Oak



EUR-817 Legacy Oak

Colors For Reno Series



RXM-903 Hickory Dark



RXM-904 Smoky Hickory



RXM-901 Hickory Mountain

Reno Series

Reno EIR

- Available thickness: 12.3mm
- Available length & Width: 1200x127mm ,1210x167mm ,1200x197mm

This luxuries real wood surface in single-strip design is made of natural hardwood texture. All of the unique features that can only be found in real wood are emphasized, such as knots, wood cracks, saw marks, brushed, natural and variations in color and grain, to create a natural feeling and bring the luxury into your room as well.

Colors for Pradoo Series



PFM19 Wild Maple



PFM20 Sugar Maple

Pradoo Series

Pradoo EIR

- Available thickness: 12.3mm
- Available length & Width: 1200x127mm 1210x167mm

The Pradoo collection floor well meets the preferences and tastes of the homeowners who love maple flooring and persuit the elegance and style of home decor.

PFM18 Pradoo Maple

Colors for Magic Series



MHT-22 Hickory Queen



MHT-23 Picasso

Magic Series

Magic EIR

- U Groove Molded Bevel Only
- Available thickness: 12.3mm
- Available length & Width: 1211x166mm

Perfectly combined with U Groove Molded Bevel, Magic collection floor will take you to date back to the mysterious ancient world, experience the fantastic texture dancing as your thoughts change, symbol of luxury & exclusive

MHT-21 Smoky Hickory

Colors for Grande Series



Grande Series

Grande EIR

- Available thickness: 8.2mm, 12.3mm
- Available length & Width:
1200x127mm, 1210x167mm, 1200x197mm

The grand collection floor will surely surprise you with its superb natural, vivid grain yet competitive price! It is a real magician that brings you a room with a solid wood looking in a second.

GRX-65 Denver Wenge



GRX-65 Denver Wenge



GRX-66 Charcoal Oak

Colors for Lavi Series



LAV52 Africa Pine



LAV53 San Diego Pine



LAV55 Khaki Pine



LAV58 Desert Pine

Lavi Series

Lavi EIR

Available thickness: 12.3mm

Available Length & Width: 1200x197mm

Create a fantasy design with tertiary colors in one piece, every design is choosing the ancient element, clean colors, tiny waves, thus making a real world of natural life.

LAV53 San Diego Pine



GYM195-1 Royal Mahogany

Bejork Series

Bejork EIR

- Available thickness: 12.3mm
- Available length & Width: 1210x167mm

BERGEIM Bejork collection hand scraped flooring is a set antique color and creates a distressed won look while featuring all the quality elements of high quality laminate flooring, with each plank bearing the signature of proud woodcraft. The subtle “V-groove” between the flooring planks creates an attractive hardwood look.

Colors for Bejork Series



HPM-951 Antique Applewood



HSM-993 Handscraped Pine



TM612 Wild Sandal



EFM19 Concord Maple



TM-664 Country Sandal



Colors for Homie Series



Homie Series

High Glossy

- Available thickness: 8.2mm, 12.3mm
- Available length & Width: 1200x127mm, 1210x167mm

The innovative texturing technology creates a consistent high gloss and high wear resistant laminate floor. The finish applied to the floor is intended not only to protect the floor, but also adds beauty to the floor. Equipped with Tap & Go patented glue less installation system, they allow you to create this magnificent pattern in the most convenient way, by simply tapping them together. Available in numerous patterns, you will always feel at home in the living rooms as well as the office.

YT-49 Wild Elm



VG1711 Jatoba



TM-32 Wild Mahogany



EA665 Royal Mahogany




VG1036 Asian Merbau



XSM-87 Acacia Natural



XSM-88 Acacia Queen




XSM-89 Acacia Coffee

VG-Elegant Series

V Groove Collection

- **Available thickness:** 8.2mm,12.3mm;
- **Available Length &Width:**
1200x127mm,1210x167mm,1200x197mm


Innovative v-groove flooring system enhances your room design, it features the look and feel at a solid planked floor but after all the advantages of our popular laminate flooring. The attractive look is achieved by beveling the sides of the planks to create a subtle V-groove between the laminate flooring planks. The v-joint is sealed with a pattern matching the wood grain design.




VG4097 Yellow Oak



ELG1016 Nova Oak



VG4055 Grey Oak



VG4107 Davanci Wood



VG4088 Nobel Oak



VG4091 Colombia Oak



VG4090 Nova Oak Grey

Available thickness: 8.2mm,12.3mm;
Available Length &Width: 1200x197mm




VG-Elegant Series

V Groove Collection


Available thickness: 8mm,12.3mm;
Available Length &Width: 1210x167mm,1200x197mm



VG4082 Wild Oak




VG4083 Yark Pine



VG4080 Sahara Pine



VG4075 Brown Pine



Vg4084 Image Pine



VG4081 Vincent Pine



VG4075 Brown Pine

YXM-892 Moka Oak



All the colors listed are just currently popular one, for more designs info, pls contact us.

VG-Elegant Series
V Groove Collection

Available thickness: 8.2mm,12.3mm;
Available Length &Width: 1200x127mm,1210x167mm,1200x197mm



EXM989 Valley Oak



XM-102 Charcoal Oak



XM-986B Kenya Oak




ETM 621 Honduras Mahogany



XM-152 Hampton Oak



XM-194 Antique Oak



YT-38 Tropical Cherry



VG2037Avintage pine



WJM-54 Brown Wenge


Colors for VG-Elegant Series



HKM-92 Alder



XM-32 Antique oak



YXM-898 Legend oak



HT980 American Walnut



YXM-899 wellington oak



R XM-82 windsor oak


-
- **Available thickness:** 8.2mm, 12.3mm;
 - **Available Length & Width:** 1200x127mm, 1210x167mm, 1200x197mm
-

Innovative V-groove flooring system enhances your room design it features the look and feel at a solid planked floor but after all the advantages of our popular laminate flooring. The attractive look is achieved by beveling the sides of the planks to creates a subtle V-groove between the laminate flooring planked. The V-joint is sealed with a pattern matching the wood grain design.


Colors for VG-Elegant Series



TM-612 Wild Sandal



HX M82 Gun stock




VG1063 pear wood




XM-29 Natural oak




GYM194 Burma Oak



CXM-155 Atlanta Oak



HXM-61 Oak Country



YBU-766 Classic Teak



EXM383 Exotic Oak

Colors for Elegant Series



6269 Rosewood



BX-39A white oak



SZM-103 Natural Mahogany



TM-108 Asian Sandalwood

Elegant Series

Squar Edge Collection

- Available thickness: 8mm, 12.3mm;
- Available Length & Width: 1200x197mm


The elegant series floor will surprise you always. It is an elegant combination of natural, price and quality, and it always provides the right ambience for you.

HXM-61 Oak Country



YM835 Aged Elm

Colors for Elegant Series




6017 Elegant Beech




WJM-40 cottage we nge



7025 Red oak



YM-859 orange Elm



SM-76 Autumn Pine



CX M-155Atlanta oak



Colors for Elegant Series



TM-78 Wild Sandal



YM-307 canyon Teak



EY M780 Mekong Teak



XM91 European oak




YT-28 Fire land cherry



WR2031 Moka Oak



SM-18 Wild Pine



QF003 Grey Oak

Fancy&Ease Series


- Available thickness: 8mm,12.3mm;
- Available Length &Width: 1210x198mm

Bergeim Fancy & Ease series was invented as a low-cost, low maintenance floor, also it have a wide range of colors suitable for all rooms and people.


6353A Red Walnut




FXM2022 Dark Walnut



FXM2035 Windy Oak



FXM2037 Ocean Oak



FXM2038 Asian Pine

Colors for Fancy&Ease Series



2232A Red Teak



YT-28 Fire land cherry




8105 Mountain oak



6269 Rosewood




VG1711 Ja toba



WJM-40 cottage we nge



6017 Elegant Beech



XSM-87 Acacia Natural



FXM98 Feature oak


Colors for Fancy&Ease Series



HT-980 American walnut



YXM-892 Mill an oak



2055 Dark oak planked



FX M-409 Fine cherry



6925 cherry



6113 Honey Maple



FXM318 Baten Oak



Colors for Fancy&Ease Series




FXM-2029 Nova Oak



FXM2029 Nova Oak



FXM2035 Windy Oak



FXM2072 Oregon Pine



FXM2075 Rusic Pine



FXM2093 Spanish Oak




FXM2095 Finland Oak



FXM2097 Intense Oak



HSM-993 Handscraped Pine



6269 Roaewood



YT-49 Wild Elm

Transitions For Finsishing your flooring

Bergeim Transitions for selection:



End Moulding

Finishes the space where laminate flooring ends (such as sliding glass doors, along wall bases, door thresholds and carpet).



T-Moulding

Fills the gap at doorways, and finishes spaces between the two areas of laminate flooring.



stair nose Moulding

Used where laminate flooring meets a step down or landing.



Reducer

To form a natural transition from laminate floor to vinyl or carpet.



Quarter-Round Moulding

The classic finish to your laminate floor; used where wall and flooring meet.



scotia

Ensure a perfect finished around walls



Baseboard

Bring an Elegant finish to the laminate flooring used around walls. All kinds baseboard are available. Used where wall and flooring meet with both 6cm, 8cm, 9cm & 10cm height available




PVC Transitions for selection

- Waterproof, Mildew-resistant.
- Elegant wood-grain texture and touch.
- No cracking, won't warp or corrode, never splinters.
- No hazardous chemicals, entirely ecological

- More durable.
- Easily installed.
- Dimension stability.

without Long strip

Applied with screw on plastic block base then clip the skirting on.



with Long strip

Applied with screw within the long strip then cover long strip fixing on the wall.



Berg eim underlay ment& Installation kit

The paving method of ordinary underlay is easy. It assures the flooring to be paved in straight way. It is also moistureproof and noiseproof. Anti-bacteria and Self adhesive underlay double laminated are also available. More colors could be available according to customers' special requirement.



2in1 white Foam



2in1 3mm Blue Foam



silver Foli Foam 3mm




3in1 self-adhesive Foam



Rubber Hammer

TAP&GO Stairnose




1. unique and Innovative design

TAP&GO Profiled in stair nose make it a real unique product.



2. Easy installation

can easily be installed with TAP&GO laminate flooring.



3. smooth surface

Since it can be installed with tap and go laminate flooring perfectly, so the surface installed is very smooth.



4. High quality

profile of tap and go locking requires a high quality HDF.



How to select the Realvaluable Flooring?

Tip 1

☒ One piece = The whole flooring

The quality of one piece of flooring is equal to those of the whole flooring after installation.

☒ One piece $\neq$ The whole flooring

Fact: Actually, the quality of one piece of flooring is just one aspect of overall effect of the whole flooring after installation.

The real valuable flooring not only demands single plank is beautiful, healthy and durable, but also requires the whole flooring gap, separation and warp resistant for long-time use after installation. Otherwise it will be easy to get dusty and grow germ in the joint, and no longer keep artistic, healthy or durable.

Tip 2

☒ Construction quality=Installation quality

☒ construction quality+Floor joint technology- Installation quality

Fact: The installation technology plays a decisive role especially in heating floor system. Superior joint technology is a key factor in preventing separation and gap problems between the flooring.

Tip 3


☒ The higher price of floors = The higher purchase cost

☒ The purchase cost Material cost+ Installation cost+usage cost

Fact: The consumers' real purchase cost is hugely influenced by the installation cost and the usage cost like maintenance cost, warranty, psychology feeling, effect to health, etc.



Gap-Resistant



warp-Resistant



separation-Resistant


Tap&Go Locking System Save more, live better

TAP&GO® Innovative Glueless Locking Technology Flooring

Thank you for choosing TAP& Go flooring. Each type offlooring has its own specific instructions for installation, the success of which requires following the attached guidelines carefully. Please read and follow the instructions to enjoy your quality floor that will last for many years to come.


TAP& Go structure®

4-sided LOCK-in system Flooring:




A flexible groove has been uniquely designed and applied to both long and short sides creating a 4 sided locking system that is both strong and secure once installed. TAP&GO's special 4 sided locking technology ensures that installed floors resist separation after installation.

Long-side LOCK-in system Flooring(Drop loc)




The Drop loc structure offers a convenient, user friendly installation even for the novice home user. The system requires less tapping reducing the risk of breakage or splitting on installation. The combination of the drop loc structure on the short side with the original flexible and strong long side ensures a perfect finish when correctly installed.

Advantages



1)Trusted Quality Material
TAP&GO floors adopted high quality raw materials, excellent technology and advanced equipment.



2) stronger Locking
The wider and deeper design of TAP&GO locking system makes TAP&GO locking much stronger, no loosing or departing. Meanwhile, the intelligent Groove in the up hook is an innovative technology, which enables the hook shrink and expands with good elasticity, and makes planks truly firmly locked together.



3) Easier installation
To be simply installed by tapping-in the edge of the planks, One person with one rubber mallet is all needed.



4) ECO-Friendly
· Low formaldehyde
TAP&GO locking flooring formaldehyde emission rate is far below than the the normal or low quality ones. Moreover, TAP&GO locking installation requires no glue, which makes the floor more natural and safe.

Tap&GO® Flooring structure



Laminate



Solid bamboo
Solid strandwoven bamboo




Engineered wood



Solid wood






History of Laminate Flooring Joint system







Generation	Invented	Joint	Installation			Gap/ Separation	Recycle Used	Heating System	Eco-friendly		Application
			Glue/ Nail	Keel	Easy				Formaldehyde Emission	Bateria/ Dust	
1st G	—	Non	✓	✓	✗	→	✗	✗	☹	☹	Non
2nd G	1950	Tongue& Groove	✓	✓	✗	→	✗	★	☹	☹	simple connection
3rd G	1996	Locking System	✗	✗	★	→	✓	★★	☹	☹	Glueless, nailless, keelless
4th G	2006	smart Locking system	✗	✗	★★	→	✓	★★★	☹	☹	Separation resistant, warp/gap resistant

Tap&Go Locking System Save more,live better

Preparation

Level the Base-floor

Acclimation

Nail&Glue Free

No Wet Floor

Space For Expansion

Heating System Floor





Tools





Hammer Holding

Gentle Strength

Installation

NOTE: Please examine all the flooring before installing for the colour, finish, quality and style. The manufacturer will not assume any responsibility for the above once the product has been installed.

01

02

03





04





05

06

07

08

09

10

11

12



13


14

15

16

Care and Maintenance




22 - 28°C

U 45-65%


Type W soft / souple blando

<15min.

>30cm

>30cm

Mouldings (Transition mouldings can be used for the following purposes)

	Reducer: Use in transition from laminate floor to linoleum or other type of hard surface.
	T-Moulding: Use in doorways, between rooms with adjacent floors, and expansion joints.
	Stair Nosing: Use at the edge of each step in a staircase.
	End Cap: Use for transition from laminate floor to other types of floor coverings.
	Baseboard: Use at base of wall. *NOTE: Always fasten baseboard and/or base shoe to the wall, never to the floor.


Quality Laminate Flooring

Bergeim Floor and Patented TAP&GO Locking System Always Excelling In Your Satisfaction and Offer Exceptional Value.TAP&GO Glueless Locking System Is A Revolution In Laminate Flooring Industry By Its Precision Technology.

Bergeim laminate flooring structure:



Technical Data Sheet for Bergeim laminate flooring				
Test criteria	Method	Parameters	Normal requirement	TAP&GO value
General aspect of installed flooring	EN13329	opening be tw. Joints general flatness length general flatness width	Max.0.20mm concave max.0.50% convex max.1.00% concave max.0.15% convex max.0.20%	Max.0.10mm concave max.0.50% convex max.1.00% concave max.0.15% convex max.0.20%
Class	EN13329			class21 ,22,23 class31 , class32
wear class	EN13329		AC3, AC4	AC3,AC4
Moisture swelling	EN13329	after 24th immersion	Max.18%	9%
Impact resistance big ball	EN13329	324g-10mm	Dropping height min.1600mm	complied with
slip resistance	ZH 1/571 et DIN 51 130			R9
Light fastness	EN 438-2,16	Bleu reference	CLASS 6	> 6
Burning cigaret	EN 438-2,18		CLASS 4	complied with
castor chairs	EN 425	25000 cycles	Type w(en 12529)	no change
Formaldehyd E mission	EN 717	E1, max.1.5mg/		0.3-0.5mg/
Fire classification	Epi radiate ur EN ISO 9239-1 BS 476.7 DIN 41 02.14			cfl-s1 class 2 B1



TAP&GO laminate flooring is probably the biggest single advance in laminate installation technology since this type of flooring was introduced to the market some years ago.

Using a hook joint rather than a traditional tongue and groove or click joint structure, the installer simply places the TAP&GO plank into position and gently taps it into place using a rubber mallet. The savings on installation time and labour costs are considerable!

Using state-of-the-art machinery and technology, TAP&GO is produced in a vertically integrated factory, ensuring that every stage of manufacture is subjected to the strictest quality control conditions.

The High Density Fibre board core is manufactured from wet-land pine grown in our own sustainable forest, and in this way Bergeim is able to lower formaldehyde emissions, higher stability and better elasticity for the HDF. To accommodate the precision machining required by this advanced installation technology, the HDF core is considerably stronger than normal.



Tough and high quality



Resistant to cigarette burns



stain resistant



Light resistant




Natural




No pressure marks



Wear resistant and incredibly durable



Non-allergenic



BEIT AL KAREEMA GENERAL TRADING LLC

5 17A St, Al Khabaisi, Dubai P.O.Box 10776

Email: info@beitalkareema.com

Phone: +971568111688/+971544771239