


NOTE: All colours shown in this brochure are as close to the actual product colours as modern technical printing process allows .it is necessary to refer to the actual product colours



栏杆&楼梯 产品选型手册

Railing&Staircase Catalogue
2024-2025

目 录

	不锈钢护栏	Stainless Steel Railing			
01-13	不锈钢玻璃护栏	Stainless Steel Glass Railing	54-57	U型槽护栏	U-channel Railing
14-17	不锈钢绳索护栏	Stainless Steel Cable Railing	58-62	锌钢护栏	Zinc Steel Railing
18-22	不锈钢圆棒护栏	Stainless Steel Solid-rod Railing	63-67	铁艺护栏	Wrought Iron Railing
23-26	不锈钢点支式护栏	Stainless Steel Patch-fitting Railing	68-91	整体楼梯系统	Staircase System
27-29	不锈钢游泳池护栏	Stainless Steel Swimming Pool Railing	92-99	不锈钢立柱	Stainless Steel Baluster
			100-104	玻璃夹系列	Glass Clamp
			105-124	扶手配件系列	Handrail Fitting
	铝合金护栏	Aluminum Railing			
30-33	铝合金玻璃护栏（组装式）	Aluminum Glass Railing			
34-35	铝合金立柱玻璃护栏	Aluminum Baluster+Glass Railing			
36-37	铝合金立柱圆棒护栏	Aluminum Baluster+Solid-rod Railing			
38-44	欧式铝合金护栏	European-style Aluminum Railing			
45-53	澳洲款铝合金护栏	Australian-style Aluminum Railing			

不锈钢玻璃护栏

Stainless Steel Glass Railing

护栏玻璃可选10MM/12MM/6+0.76PVB+6MM
GLASS SUIT FOR RAILING CAN BE
10mm/12MM/6 +0.76PVB+6MM



产品编号/ ITEM NO.


-KAB-SG001-

不锈钢玻璃护栏

Stainless Steel Glass Railing

Specification

- Typical height 1000mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- 12mm tempered clear glass
- Baluster height can be customized



产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 配12MM钢化清玻
- 不锈钢立柱高度可定制
- KAB-SG001立柱



不锈钢玻璃护栏


Stainless Steel Glass Railing

产品编号/ ITEM NO.
-KAB-SG002-

ROUND POST 圆管立柱KAB-SG002
SQUARE POST 方管立柱KAB-SG002B

Specification

- Typical height 1000mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- 12mm tempered clear glass
- Baluster height can be customized



Railing Elevation
护栏立面图

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 配12MM钢化清玻
- 不锈钢立柱高度可定制
- KAB-SG002立柱




不锈钢玻璃护栏

Stainless Steel Glass Railing

产品编号/ ITEM NO.
-KAB-SG007-

Specification

- Typical height 1000mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- 12mm tempered clear glass
- Baluster height can be customized



Railing Elevation
护栏立面图

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 配12MM钢化清玻
- 不锈钢立柱高度可定制
- KAB-SG007立柱




不锈钢玻璃护栏
Stainless Steel Glass Railing
Specification


- Typical height 1000mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- 12mm tempered clear glass
- Baluster height can be customized

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 配12MM钢化清玻
- 不锈钢立柱高度可定制
- KAB-SG011立柱



Railing Elevation
护栏立面图



不锈钢玻璃护栏


Stainless Steel Glass Railing

Specification

- Typical height 1000mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- 12mm tempered clear glass
- Baluster height can be customized

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 配12MM钢化清玻
- 不锈钢立柱高度可定制
- KAB-SG012立柱




Railing Elevation
护栏立面图




不锈钢玻璃护栏
Stainless Steel Glass Railing
Specification

- Typical height 1000mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- 10mm tempered clear glass
- Baluster height can be customized


产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 配10MM钢化清玻
- 不锈钢立柱高度可定制
- KAB-SG020边板立柱

Railing Elevation
护栏立面图





不锈钢玻璃护栏
(立柱带木装饰板)

stainless steel glass railing
(Baluster designed with wood plate decoration)

产品编号/ ITEM NO.
-KAB-WG001-2-

Specification

- Typical height 1000mm
- S.S 304 and S.S 316
- Baluster designed with wood plate decoration
- S.S finish. Matt and Mirror
- 50.8*1.2MM handrail
- 12mm tempered clear glass
- Baluster height can be customized



产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 立柱带木装饰板
- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 配12MM钢化清玻
- 不锈钢立柱高度可定制

Railing Elevation
护栏立面图



不锈钢玻璃护栏
(立柱带木装饰板)

stainless steel glass railing
(Baluster designed with wood plate decoration)

产品编号/ ITEM NO.
-KAB-WG002-

Specification

- Typical height 1000mm
- S.S 304 and S.S 316
- Baluster designed with wood plate decoration
- S.S finish. Matt and Mirror
- 50.8*1.2MM handrail
- 12mm tempered clear glass
- Baluster height can be customized



产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 立柱带木装饰板
- 护栏常规高度 1000MM
- 50.8*1.2MM实厚扶手,
- 配12MM钢化清玻
- 不锈钢立柱高度可定制

Railing Elevation
护栏立面图



不锈钢绳索护栏



Stainless Steel Cable Railing

Specification

- Typical height 1000mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- Baluster height can be customized
- Steel plate baluster
- Cable diameter 6mm

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 不锈钢立柱高度可定制
- 边板立柱,
- 配直径6MM绳索





不锈钢绳索护栏

Stainles Steel Cable Railing

产品编号/ ITEM NO.
-KAB-SR002-

Specification

- Typical height 1000mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- Baluster height can be customized
- Square tube baluster with pre-drilled holes
- Solid rod diameter 8mm



Railing Elevation
护栏立面图

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 不锈钢立柱高度可定制
- 方管立柱穿孔,
- 配直径8MM圆棒





不锈钢绳索护栏

Stainles Steel Cable Railing

产品编号/ ITEM NO.
-KAB-SR004-

Specification

- Typical height 1000mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- Baluster height can be customized
- Steel plate baluster
- Cable diameter 6mm




KAB-SR004

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 不锈钢立柱高度可定制
- 边板立柱,
- 配直径6MM绳索

Railing Elevation
护栏立面图




不锈钢圆棒护栏

Solid-rod Railing

产品编号/ ITEM NO.
-KAB-SR010-

Specification

- Typical height 1100mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- Baluster height can be customized
- The diameter of solid rod 10mm



Railing Elevation
护栏立面图

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1100MM
- 50.8*1.2MM实厚扶手
- 不锈钢立柱高度可定制
- 圆棒直径10mm




不锈钢圆棒护栏

Solid-rod Railing

产品编号/ ITEM NO.
-KAB-SR011-

Specification

- Typical height 900mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- Baluster height can be customized
- The diameter of solid rod 10mm



Railing Elevation
护栏立面图

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 900MM
- 50.8*1.2MM实厚扶手
- 不锈钢立柱高度可定制
- 圆棒直径10mm




不锈钢圆棒护栏
Solid-rod Railing
Specification


- Typical height 900mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- Baluster height can be customized
- The diameter of solid rod 10mm

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 900MM
- 50.8*1.2MM实厚扶手
- 不锈钢立柱高度可定制
- 圆棒直径10mm



Railing Elevation
护栏立面图



不锈钢圆棒护栏

Solid-rod Railing


产品编号/ ITEM NO.
-KAB-SR014-

Specification



- Typical height 900mm
- S.S 304 and S.S 316
- S.S finish. Matt and mirror
- 50.8*1.2MM handrail
- Baluster height can be customized
- The diameter of solid rod 10mm

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 900MM
- 50.8*1.2MM实厚扶手
- 不锈钢立柱高度可定制
- 圆棒直径10mm



Railing Elevation
护栏立面图



不锈钢玻璃夹护栏 不锈钢泳池护栏

Stainless Steel Patch Fitting Railing
Stainless Steel Swimming Pool Railing

护栏玻璃可选用

10MM/12MM/6+0.76PVB+6MM

GLASS SUIT FOR RAILING CAN BE

10mm/12MM/6+0.76PVB+6MM


不锈钢玻璃护栏

Stainless Steel Glass Railing

产品编号/ ITEM NO.
-KAS-N09-

Specification

- S.S 304/316
- Surface finish: Mirror and Satin finish
- Typical height 1000mm
- Handrail 50.8*1.2MM
- 10mm clear tempered glass
- Stainless steel clamp KAF-SG014



Railing Elevation
护栏立面图

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜光和砂光
- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 配10MM钢化清玻
- 不锈钢玻璃夹
- KAF-SG014




不锈钢玻璃护栏

Stainless Steel Glass Railing

产品编号/ ITEM NO.
-KAS-N02-

Specification

- S.S 304/316
- Surface finish: Mirror and Satin finish
- Typical height 1000mm
- Handrail 50.8*1.2MM
- 10mm clear tempered glass
- Stainless steel clamp KAF-SG027



Railing Elevation
护栏立面图

产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1100MM,
- 配10MM钢化清玻
- 不锈钢玻璃夹
- KAF-SG027




不锈钢玻璃护栏

Stainless Steel Glass Railing

产品编号/ ITEM NO.
-KAS-N09-1-

Specification

- S.S 304/316
- Surface finish: Mirror and Satin finish
- Typical height 1000mm
- Handrail 48.3*1.5MM
- 10mm clear tempered glass
- Stainless steel clamp KAF-SG014



产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1000MM,
- 48.3*1.5MM实厚槽管扶手+垫片,
- 配10MM钢化清玻
- 不锈钢玻璃夹
- KAF-SG014

Railing Elevation
护栏立面图




不锈钢玻璃护栏

Stainless Steel Glass Railing

产品编号/ ITEM NO.
-KAS-N04-

Specification

- S.S 304/316
- Surface finish: Mirror and Satin finish
- Typical height 1000mm
- Handrail 48.3*1.5MM
- 10mm clear tempered glass



产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1100MM,
- 48.3*1.5MM实厚槽管扶手+垫片,
- 配10MM钢化清玻

Railing Elevation
护栏立面图




不锈钢玻璃护栏

Stainless Steel Glass Railing

产品编号/ ITEM NO.
-KAS-N11-



Specification

- S.S 304/316
- Surface finish: Mirror and Satin finish
- Typical height 1100mm
- Handrail 48.3*1.5MM
- 12mm clear tempered glass
- Stainless steel baluster KAB-SG011



产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1100MM,
- 配12MM钢化清玻
- 泳池圆形小立柱KAB-SG011




不锈钢玻璃护栏

Stainless Steel Glass Railing

产品编号/ ITEM NO.
-KAS-N12-


Specification

- S.S 304/316
- Surface finish: Mirror and Satin finish
- Typical height 1100mm
- 12mm clear tempered glass
- Stainless steel square baluster



产品配置

- 材质 S.S304/S.S316
- 不锈钢表面处理 镜面和砂光
- 护栏常规高度 1100MM,
- 配12MM钢化清玻
- 泳池方形小立柱




铝合金玻璃护栏

Aluminum Glass Railing

Specification

- Design in aluminium
- Typical powder coating, Black,White,Grey
- Typical height 1100mm
- Elliptic handrail
- 8mm tempered clear glass




ELEVATION

SIDE VIEW

产品配置

- 材质 铝合金
- 表面喷涂常规色：黑、白、灰色
- 护栏常规高度 1100MM,
- 椭圆形扶手管
- 配8MM钢化清玻

Railing Elevation
护栏立面图



铝合金护栏

Aluminum Railing


产品编号/ITEM NO.
-YKB-AN002-

specification

- Design in aluminium
- Typical powder coating, Black,White,Grey
- Typical height 1100mm
- Elliptic handrail
- Vertical Aluminium Picket

产品配置

- 材质 铝合金
- 表面喷涂常规色：黑、白、灰色
- 护栏常规高度 1100MM,
- 椭圆形扶手管
- 配竖管立柱



Railing Elevation
护栏立面图



铝合金立柱
+ 玻璃护栏

Aluminium baluster
+glass railing

铝合金立柱+玻璃护栏

Aluminium baluster+glass railing


产品编号/ITEM NO.
-YKB-AG001-

specification

- Typical height 1000mm
- 50.8*1.2MM handrail
- 12mm tempered clear glass
- Baluster height can be customized

产品配置

- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 配12MM钢化清玻
- 铝合金立柱高度可定制



Railing Elevation
护栏立面图

铝合金立柱+玻璃护栏

Aluminium baluster+glass railing


产品编号/ITEM NO.
-YKB-AG003-

specification

- Typical height 1000mm
- 50.8*1.2MM handrail
- 12mm tempered clear glass
- Baluster height can be customized

产品配置

- 护栏常规高度 1000MM,
- 50.8*1.2MM实厚扶手,
- 配12MM钢化清玻
- 铝合金立柱高度可定制



Railing Elevation
护栏立面图



铝合金圆棒护栏

Aluminium solid-rod railing


产品编号/ITEM NO.
-YKB-AR001-

specification

- Typical height 1000mm
- 50.8*1.2MM handrail
- Aluminium baluster height can be customized
- The diameter of solid rod 10mm

产品配置

- 材质 铝合金立柱和圆棒
- 护栏常规高度 1000MM
- 50.8*1.2MM实厚扶手 铝合金材质
- 铝合金立柱高度可定制



Railing Elevation
护栏立面图

铝合金圆棒护栏

Aluminium solid-rod railing


产品编号/ITEM NO.
-YKB-AR002-

specification



- Typical height 1000mm
- 50.8*1.2MM handrail
- Aluminium baluster height can be customized
- The diameter of solid rod 10mm

产品配置

- 材质 铝合金立柱和圆棒
- 护栏常规高度 1000MM
- 50.8*1.2MM实厚扶手 铝合金材质
- 铝合金立柱高度可定制



Railing Elevation
护栏立面图



铝合金竖管围栏

Aluminium Fence


产品编号/ ITEM NO.
-YKB-AN016-

Specification

- Vertical aluminium tube
- Typical Height-1350mm
- Supplied with base plate cover
- The height and width can be customized

产品配置

- 标准高度H=1350MM
- 高度可定制
- 铝合金竖管
- 底座125MM宽
- 配装饰底盖



Railing Elevation
护栏立面图



铝合金竖管带圆花围栏

Aluminium Fence


产品编号/ ITEM NO.
-YKB-AN017-

Specification

- Vertical aluminium tube
- Typical Height-1350mm
- Supplied with base plate cover
- The height and width can be customized

产品配置

- 标准高度H=1350MM
- 高度可定制
- 铝合金竖管带圆花
- 底座125MM宽
- 配装饰底盖



Railing Elevation
护栏立面图



铝合金格栅

Aluminium Slat Fence



产品编号/ ITEM NO.
-YKB-AN018-

Specification


- The standard size-H1020mm*W900
- The slat distance can be customized.
- The height and width can be customized

产品配置

- 格栅单元标准尺寸为900*1020MM
- 格栅条间距跟设计需要确定间距
- 格栅单元高度和宽度可定制



DETAIL A



DETAIL B

Railing Elevation
护栏立面图



铝合金阳台护栏

Aluminium Balcony Railing


产品编号/ ITEM NO.
-YKB-AN019-

Specification

- The typical height is 1100mm.
- Handrail profile thickness 2.0mm
- Post profile thickness 2.0mm
- The picket profile thickness 1.2mm

产品配置

- 标准高度H=1100MM高
- 配面管扶手2.0MM厚
- 横管2.0MM厚及竖管1.2MM厚
- 高度可定制



Railing Elevation
护栏立面图



铝合金阳台护栏

Aluminium Balcony Railing


产品编号/ ITEM NO.
-YKB-AN020-

Specification

- The typical height is 1100mm.
- Handrail profile thickness 2.0mm
- Post profile thickness 1.2mm
- The picket profile thickness 1.2mm

产品配置

- H=1100MM高
- 配面管2.0MM厚
- 横管及竖管1.2MM厚
- 高度可定制



Railing Elevation
护栏立面图



铝合金玻璃护栏

Aluminium Glass Railing


产品编号/ ITEM NO.
-YKB-AN021-

Specification

- Typical height 1100mm
- 12mm Tempered Clear Glass
- The height can be customized

产品配置

- H=1100MM高
- 配12MM钢化清玻
- 配立柱底座
- 立柱管开边



Railing Elevation
护栏立面图



铝合金玻璃侧挂护栏

Aluminium Glass Railing


产品编号/ITEM NO.
-YKB-AN022-

specification

- Typical height 1100mm
- 12mm Tempered Clear Glass
- The height can be customized

产品配置

- H=1100MM高
- 配12MM钢化清玻
- 配立柱底座
- 外挂小立柱管开边



铝合金组装护栏

Aluminium Railing



铝合金组装护栏

Aluminium Railing


产品编号/ITEM NO.
-YKB-AU001-

specification

- Typical Height 1100mm
- Height can be customized
- 10mm tempered clear glass
- Post slotted with channel for glass insert
- Without handrail

产品配置

- 标准高度H=1100MM
- 高度可订制
- 配10MM钢化清玻
- 立柱开槽
- 无扶手管



FLOOR INSTALLATION
地面安装

铝合金组装护栏

Aluminium Railing



产品编号/ITEM NO.
-YKB-AU001-

specification

- Typical Height 1100mm
- Height can be customized
- 10mm tempered clear glass
- Post slotted with channel for glass insert
- Without handrail

产品配置

- 标准高度H=1100MM
- 高度可订制
- 配10MM钢化清玻
- 立柱开槽
- 无扶手管



IN-GROUND INSTALLATION
埋地安装

铝合金组装护栏

Aluminium Railing


产品编号/ ITEM NO.
-YKB-AU002-

Specification

- Typical Height 1100mm
- Height can be customized
- 10mm tempered clear glass
- Post slotted with channel for glass insert
- Round handrail tube and offset bracket

产品配置

- 标准高度H=1100MM
- 高度可订制
- 配10MM钢化清玻
- 立柱开槽
- 配扶手托
- 圆形扶手管



FLOOR INSTALLATION
地面安装

铝合金组装护栏

Aluminium Railing


产品编号/ ITEM NO.
-YKB-AU002-

Specification

- Typical Height 1100mm
- Height can be customized
- 10mm tempered clear glass
- Post slotted with channel for glass insert
- Round handrail tube and offset bracket

产品配置

- 标准高度H=1100MM
- 高度可订制
- 配10MM钢化清玻
- 立柱开槽
- 配扶手托
- 圆形扶手管



IN-GROUND INSTALLATION
埋地安装

铝合金组装护栏

Aluminium Railing


产品编号/ ITEM NO.
-YKB-AU003-

Specification


- Typical Height 1100mm
- Height can be customized
- 11mm tempered clear glass
- Post slotted with channel for glass insert
- Square handrail tube

产品配置

- 标准高度H=1100MM
- 高度可订制
- 配10MM钢化清玻
- 立柱开槽
- 配方形槽管扶手



Railing Elevation
护栏立面图



FLOOR INSTALLATION
地面安装

铝合金组装护栏

Aluminium Railing


产品编号/ ITEM NO.
-YKB-AU003-

Specification


- Typical Height 1100mm
- Height can be customized
- 11mm tempered clear glass
- Post slotted with channel for glass insert
- Square handrail tube

产品配置

- 标准高度H=1100MM
- 高度可订制
- 配10MM钢化清玻
- 立柱开槽
- 配方形槽管扶手



Railing Elevation
护栏立面图



IN-GROUND INSTALLATION
埋地安装

铝合金组装护栏

Aluminium Railing


产品编号/ ITEM NO.
-YKB-AU004-

Specification


- Typical Height 1100mm
- Height can be customized
- 12mm tempered clear glass
- Post slotted with channel for glass insert
- Round handrail tube

产品配置

- 标准高度H=1100MM
- 高度可订制
- 配10MM钢化清玻
- 立柱开槽
- 配圆形槽管扶手



Railing Elevation
护栏立面图



FLOOR INSTALLATION
地面安装

铝合金组装护栏

Aluminium Railing


产品编号/ ITEM NO.
-YKB-AU004-

Specification

- Typical Height 1100mm
- Height can be customized
- 12mm tempered clear glass
- Post slotted with channel for glass insert
- Round handrail tube

产品配置

- 标准高度H=1100MM
- 高度可订制
- 配10MM钢化清玻
- 立柱开槽
- 配圆形槽管扶手



Railing Elevation
护栏立面图



IN-GROUND INSTALLATION
埋地安装

U型槽玻璃护栏


U-channel glass railing

Specification

- Stainless steel handrail
- Handrail size 50.8*1.2MM
- Typical height 1000mm
- 10mm tempered clear glass
- Aluminium U-shape channel




产品配置

- 不锈钢扶手
- 护栏常规高度 1000MM
- 50.8*1.2MM实厚扶手
- 配10MM钢化清玻
- 铝合金U型槽



ELEVATION

Railing Elevation
护栏立面图



U型槽玻璃护栏


U-channel glass railing

Specification


- Stainless steel handrail
- Handrail size 50.8*1.2MM
- Typical height 1000mm
- 11mm tempered clear glass
- Aluminium U-shape channel

产品配置

- 不锈钢扶手
- 护栏常规高度 1000MM
- 50.8*1.2MM实厚扶手
- 配10MM钢化清玻
- 铝合金U型槽



Railing Elevation
护栏立面图



锌钢护栏

Zinc-steel railing


产品编号/ ITEM NO.
-CSB-001-

Specification

- Zinc-steel railing
- Typical height 1000mm
- Typical color is black
- The decorative parts can be golden color
- Overall height can be customized
- Elliptical handrail size 80*40*1.5mm
- Post size 40*40*1.5mm

产品配置

- 锌钢护栏
- 标准高度1000mm
- 颜色为黑色喷漆处理
- 弯花及装饰件可做金色喷涂处理
- 高度可定制
- 椭圆扶手面管规格80*40*1.5
- 立柱尺寸40*40*1.5



Railing Elevation
护栏立面图



锌钢护栏

Zinc-steel railing


产品编号/ ITEM NO.
-CSB-002-

Specification

- Zinc-steel railing
- Typical height 1000mm
- Typical color is black
- The decorative parts can be golden color
- Overall height can be customized
- Elliptical handrail size 80*40*1.5mm
- Post size 40*40*1.5mm

产品配置

- 锌钢护栏
- 标准高度1000mm
- 颜色为黑色喷漆处理
- 弯花及装饰件可做金色喷涂处理
- 高度可定制
- 椭圆扶手面管规格80*40*1.5
- 立柱尺寸40*40*1.5



Railing Elevation
护栏立面图



锌钢护栏


Zinc-steel railing

Specification

- Zinc-steel railing
- Typical height 1000mm
- Typical color is black
- Overall height can be customized
- Elliptical handrail size 80*40*1.5mm
- Post size 40*40*1.5mm

产品配置

- 锌钢护栏
- 标准高度1000mm
- 颜色为黑色喷漆处理
- 高度可定制
- 椭圆扶手面管规格80*40*1.5
- 立柱尺寸40*40*1.5



Railing Elevation
护栏立面图




锌钢护栏

Zinc-steel railing

产品编号/ ITEM NO.
-CSB-007-

Specification

- Zinc-steel railing
- Typical height 1000mm
- Typical color is black
- The decorative parts can be golden color
- Overall height can be customized
- Elliptical handrail size 80*40*1.5mm
- Post size 40*40*1.5mm



产品配置

- 锌钢护栏
- 标准高度1000mm
- 颜色为黑色喷漆处理
- 弯花及装饰件可做金色喷涂处理
- 高度可定制
- 椭圆扶手面管规格80*40*1.5
- 立柱尺寸40*40*1.5

Railing Elevation
护栏立面图



铁艺护栏

Wrought iron railing

铁艺护栏


Wrought iron railing

Specification

- Wrought iron railing
- Typical height 1000mm
- Typical color is black
- Overall height can be customized
- Hot-dip galvanized plus multi-layer powder coating

产品配置

- 铁艺护栏
- 标准高度1000mm
- 黑色喷漆处理
- 高度可根据工程需求定制
- 热镀锌+多层喷漆防护



YIF-006

Railing Elevation
护栏立面图



铁艺护栏
Wrought iron railing


产品编号/ ITEM NO.
-YIF-011-

Specification

- Wrought iron railing
- Typical height 1000mm
- Typical color is black
- Overall height can be customized
- Hot-dip galvanized plus multi-layer powder coating

产品配置

- 铁艺护栏
- 标准高度1000mm
- 黑色喷漆处理
- 高度可根据工程需求定制
- 热镀锌+多层喷漆防护



Railing Elevation
护栏立面图


铁艺护栏
Wrought iron railing


产品编号/ ITEM NO.
-YIF-017-

Specification

- Wrought iron railing
- Typical height 1000mm
- Typical color is black
- Overall height can be customized
- Hot-dip galvanized plus multi-layer powder coating

产品配置

- 铁艺护栏
- 标准高度1000mm
- 黑色喷漆处理
- 高度可根据工程需求定制
- 热镀锌+多层喷漆防护



Railing Elevation
护栏立面图




STAIRCASE



KAREEMA STAIRCASE




WOOD AND GLASS TREAD
木踏步和玻璃踏步



STAIRCASE SYSTEM

整体楼梯系统

CURVED STAIRCASE




CGH1

Stringer: $\Phi 120 \times 6$ mm carbon steel
Tread Support: 6mm thickness steel plate
Step: 10+1.52PVB+10 tempered clear glass, with anti-slip strip
Balustrade: $\Phi 50.8$ stainless steel pipe
Rod: $\Phi 10$ mm 5 layer

KAREEMA CURVED STAIRCASE

CGG1

Stringer: 200*50*10mm carbon steel
Tread Support: 6mm thickness steel plate
Step: 10+1.52PVB+10 tempered clear glass, with anti-slip strip
Balustrade: $\Phi 50.8$ stainless steel plate with glass clamp
Glass: 10mm tempered curved clear glass
Handrail: $\Phi 50.8$ 304 S/S pipe



CURVED STAIRCASE

CWH2

Stringer: $\Phi 120 \times 6$ mm carbon steel
Tread Support: 6 mm thickness steel plate
Step: 25 mm thickness wood step
Balustrade: $\Phi 50.8$ stainless steel pipe
Rod: $\Phi 10$ mm 5 layer



CWH1


Stringer: $\Phi 120 \times 6$ mm carbon steel
Tread Support: 6 mm thickness steel plate
Step: 25 mm thickness wood step
Balustrade: $\Phi 50.8$ stainless steel pipe
Rod: $\Phi 10$ mm 5 layer



CURVED STAIRCASE

LW H4

Stringer: 300*6mm carbon steel tube
Tread Support: 6mm thickness steel plate
Step: 25mm thickness wood step
Balustrade: $\Phi 50.8$ wood rod
Rod: $\Phi 10$ mm 5 layer




KAREEMA L-SHAPE STAIRCASE



Stringer: 12mm thickness carbon steel
Tread Support: 6mm thickness steel plate
Step: 10+1.52PVB+10 tempered clear glass, with anti-slip strip
Balustrade: 50*10 stainless steel plate with glass clamp
Glass clamp: $\Phi 38$ mm S/S304
Glass: 10mm tempered clear glass
Handrail: 50x6 304 S/S

L-SHAPE STAIRCASE



LGG2

Stringer: 200*50*6mm double square carbon steel tube
Tread Support: 6mm thickness steel plate
Step: 10+1.52PVB+10 tempered clear glass, with anti-slip strip
Balustrade: 50*50*2 stainless steel plate/with glass clamp
Glass clamp: Φ38mm S/S304
Glass: 10mm tempered clear glass
Handrail: Φ50.8 304 S/S pipe



KAREEMA L-SHAPE STAIRCASE




LGH2

Stringer: 12mm thickness carbon steel
Tread Support: 6mm thickness steel plate
Step: 10+1.52PVB+10 tempered clear glass, with anti-slip strip
Balustrade: 6mm double S/S plate
Rod: Φ10mm 5 layer
Handrail: Φ 50.8 304 S/S pipe



L-SHAPE STAIRCASE



KAREEMA L-SHAPE STAIRCASE



LWH3

Stringer: 12mm thickness carbon steel
Tread Support: 6mm thickness steel plate
Step: 25mm thickness wood step
Balustrade: 6mm double S/S plate
Rod: $\Phi 10\text{mm}$ 5 layer
Handrail: $\Phi 50.8$ 304 S/S pipe



LWG3

Stringer: 12mm thickness carbon steel
Tread Support: 6mm thickness steel plate
Step: 25mm thickness wood step
Balustrade: 50*50*2mm stainless steel square tube with glass clamp
Glass clamp: $\Phi 38\text{mm}$ S/S304
Glass: 10mm tempered clear glass
Handrail: $\Phi 50.8$ 304 S/S pipe



L-SHAPE STAIRCASE



Y KS-LW H1

Stringer: 12mm thickness carbon steel
Tread Support: 6mm thickness steel plate
Step: 25mm thickness wood step
Balustrade: $\Phi 50.8 \times 2\text{mm}$ 304 S/S
Rod: $\Phi 10\text{mm}$ 5 layer
Handrail: $\Phi 50.8$ 304 S/S pipe

KAREEMA L-SHAPE STAIRCASE



LWH2

Stringer: 12mm thickness carbon steel
Tread Support: 6mm thickness steel plate
Step: 25mm thickness wood step
Balustrade: 6mm double steel plate
Rod: $\Phi 10\text{mm}$ 5 layer
Handrail: $\Phi 50.8$ 304 S/S pipe

L-SHAPE STAIRCASE

LG G5

Stringer: 200*100*6 carbon steel square tube
Tread Support: 6mm thickness steel plate
Step: 10+1.52PVB+10 tempered glass with anti-slip strip
Balustrade: $\Phi 50.8 \times 2\text{mm}$ stainless steel tube with glass clamp
Glass: 10mm tempered clear glass
Handrail: $\Phi 50.8 \times 304 \text{ S/S}$ pipe

KAREEMA L-SHAPE STAIRCASE

LG G3


Stringer: 12mm carbon steel square tube
Tread Support: 6mm thickness steel plate
Step: 10+1.52PVB+10 tempered glass with anti-slip strip
Balustrade: 10mm tempered clear glass with clamps side installation
Glass clamp: $\Phi 42\text{mm S/S304}$
Handrail: $\Phi 50.8 \times 304 \text{ S/S}$ pipe

SPIRAL STAIRCASE



SGG1

Stringer: $\Phi 100 \times 6$ carbon steel
Tread Support: 6mm thickness steel plate
Step: 10+1.52PVB+10 tempered clear glass, with anti-slip strip
Balustrade: 10mm tempered curved glass with clamp side installation
Glass clamp: $\Phi 38$ mm S/S304
Handrail: $\Phi 50.8$ 304 S/S pipe




KAREEMA SPIRAL STAIRCASE



SGH1

Stringer: $\Phi 100 \times 6$ carbon steel
Tread Support: 6mm thickness steel plate
Step: 10+1.52PVB+10 tempered clear glass, with anti-slip strip
Balustrade/handrail: $\Phi 50.8$ 304 S/S pipe
Rod: $\Phi 10$ mm 5 layer

SPIRAL STAIRCASE



SG V1

Stringer: $\Phi 100 \times 6$ carbon steel
Tread Support: 6mm thickness steel plate
Step: 10+1.52PVB+10 tempered clear glass, with anti-slip strip
Balustrade: $\Phi 50.8$ 304 S/S pipe



KAREEMA SPIRAL STAIRCASE



SIV1

Stringer: $\Phi 100 \times 6$ carbon steel
Step: 6mm riffled plate
Balustrade: $\Phi 50.8$ 304 S/S pipe



SPIRAL STAIRCASE

S WH2


Stringer: $\Phi 100 \times 6$ carbon steel
 Tread Support: 6mm thickness steel plate
 Step: 5mm thickness wood step
 Balustrade/handrail: $\Phi 50.8$ 304 S/S pipe
 Rod: $\Phi 10$ mm 5 layer



KAREEMA SPIRAL STAIRCASE

S WH1

Stringer: $\Phi 100 \times 6$ carbon steel
 Tread Support: 6mm thickness steel plate
 Step: 25mm thickness wood step
 Balustrade: $\Phi 50.8$ 304 steel pipe
 Handrail: $\Phi 50.8$ wood rod
 Rod: $\Phi 10$ mm 5 layer



SPIRAL STAIRCASE

SWV3

Stringer: $\Phi 100 \times 6$ carbon steel

Tread Support: 6mm thickness steel plate

Step: 10+1.52PVB+10 tempered clear glass, with anti-slip strip

Balustrade: $\Phi 50.8$ 304 S/S pipe



KAREEMA SPIRAL STAIRCASE

SWV2


Stringer: $\Phi 100 \times 6$ carbon steel

Tread Support: 6mm thickness steel plate


Step: 25mm thickness wood step

Balustrade: $\Phi 50.8$ 304 S/S pipe







YKB-SG001




YKB-SG002




YKB-SG002B




YKB-SG007




YKB-SG009




YKB-SG010




YKB-SG011




YKB-SG012




YKB-SG019




YKB-SG005




YKB-SG004




YKB-SG006




YKB-SG020







YKB-SR001




YKB-SR002




YKB-SR003




YKB-SR010 (Wall mounted)




YKB-SR009




YKB-SR011




YKB-SR004




YKB-SR005




YKB-SR006




YKB-SR012




YKB-SR013




YKB-SR015



YKB-SR007




YKB-SR008




YKB-SR010 (Floor mounted)








YKB-SR016




YKB-WG001-1



YKB-WG001-2




YKB-WG002




YKB-WG004




YKS-N01




YKB-CG003




YKB-CG005




YKB-CR001




YKB-WG007-1




YKB-WG007-2




YKB-CG002




YKB-AR001




YKB-AR002




YKB-AR003-1




YKB-AR003-2




YKB-AR003-3




YKB-AR007




YKB-AR008




YKB-AG001




YKB-AR003-8R




YKB-AR004-8R




YKB-AR005




YKB-AG002




YKB-AG003-1




YKB-AG003-2




YKB-AR004-1



YKB-AR004-2



YKB-AR004-3



YKB-AG003-3





Glass Clamp 40*50mm-Flat Back

玻璃夹40*50平底


Surface Finish:Satin/Mirror

表面处理：拉丝/镜面

Material:SUS304/316 Stainless Steel

材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	Base	Suit Glass 适配玻璃
YKF-B005-1	16	40	50	27.5	9	Flat6	6.76/8/8.76/10/10.76mm



Glass Clamp 40*50mm-Radius Back

玻璃夹40*50弧底

Surface Finish:Satin/Mirror

表面处理：拉丝/镜面

Material:SUS304/316 Stainless Steel

材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	F	Suit Glass 适配玻璃
YKF-B005-2	16	40	50	27.5	9	38.1	6/6.76/8/8.76/10/10.76mm
YKF-B005-3	16	40	50	27.5	9	42.4	
YKF-B005-4	16	40	50	27.5	9	50.8	



Glass Clamp 45*45mm-Flat Back

玻璃夹45*45平底

Surface Finish:Satin/Mirror

表面处理：拉丝/镜面

Material:SUS304/316 Stainless Steel

材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	Base	Suit Glass 适配玻璃
YKF-B006-1	16	45	45	27.5	9.5	Flat	6/6.76/8/8.76/10/10.76mm



Glass Clamp 45*45mm-Radius Back

玻璃夹45*45弧底

Surface Finish:Satin/Mirror

表面处理：拉丝/镜面

Material:SUS304/316 Stainless Steel

材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	F	Suit Glass 适配玻璃
YKF-B006-2	16	45	45	27.5	9.5	38.1	6/6.76/8/8.76/10/10.76mm
YKF-B006-3	16	45	45	27.5	9.5	42.4	
YKF-B006-4	16	45	45	27.5	9.5	48.3	
YKF-B006-5	16	45	45	27.5	9.5	50.8	
YKF-B006-6	16	45	45	27.5	9.5	50.8	



Retention plate Glass Clamp 45*45mm-Flat Back

挡板式玻璃夹45*45平底

Surface Finish:Satin/Mirror

表面处理：拉丝/镜面

Material:SUS304/316 Stainless Steel

材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	Base	Suit Glass 适配玻璃
YKF-B006-6	16	45	45	23.5	11	Flat	6/6.76/8/8.76/10/10.76



Retention plate Glass Clamp 45*45mm-Radius Back

挡板式玻璃夹45*45弧底

Surface Finish:Satin/Mirror

表面处理：拉丝/镜面

Material:SUS304/316 Stainless Steel

材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	F	Suit Glass 适配玻璃
YKF-B006-7	16	45	45	23.5	11	42.4	6/6.76/8/8.76/10/10.76



Glass Clamp 45*63mm-Flat Back

玻璃夹45*63平底

Surface Finish:Satin/Mirror

表面处理：拉丝/镜面

Material:SUS304/316 Stainless Steel

材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	Base	Suit Glass 适配玻璃
YKF-B005-5	17.5	45	63	30	11	Flat	6/6.76/8/8.76/10/10.76/12/12.76



Glass Clamp 45*45mm-Radius Back

玻璃夹45*45弧底


Surface Finish:Satin/Mirror

表面处理：拉丝/镜面

Material:SUS304/316 Stainless Steel

材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	F	Suit Glass 适配玻璃
YKF-B005-6	17.5	45	63	30	9	38.1	6/6.76/8/8.76/10/10.76/12/12.76
YKF-B005-7	17.5	45	63	30	9	42.4	
YKF-B005-8	17.5	45	63	30	9	48.3	
YKF-B005-9	17.5	45	63	30	9	50.8	
YKF-B005-10	17.5	45	63	30	9	60.3	
YKF-B005-11	17.5	45	63	30	9	60.3	




Retention plate Glass Clamp 45*63mm-Flat Back

挡板式玻璃夹45*63平底

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	Base	Suit Glass 适配玻璃
Y KF-B005-11	16	45	63	26	■	Flat	6/6.76/8/8.76/10/10.76/12/12.76




Glass Clamp 40*50mm-Flat Back

玻璃夹40*50平底

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	Base	Suit Glass 适配玻璃
Y KF-B006-8	16	55	55	31.5	9.5	Flat	6/6.76/8/8.76/10/10.76/12/12.76



Glass Clamp 55*55mm-Radius Back

玻璃夹55*55弧底

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	F	Suit Glass 适配玻璃
YKF-B006-9	16	55	55	31.5	9.5	38.1	6/6.76/8/8.76/10/10.76/12/12.76
YKF-B006-10	16	55	55	31.5	9.5	42.4	
YKF-B006-11	16	55	55	31.5	9.5	48.3	
YKF-B006-12	16	55	55	31.5	9.5	50.8	




Retention plate Glass Clamp 45*63mm-Flat Back

挡板式玻璃夹45*63平底

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	Base	Suit Glass 适配玻璃
Y KF-B006-13	16.5	55	55	29.5	■	Flat	6/6.76/8/8.76/10/10.76/12/12.76




Double Circular Glass Clamp

双边圆形玻璃夹

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Suit Glass 适配玻璃
YKF-B017-1	Flat	6/6.76/8/8.76/10mm
YKF-B017-2	42.4	
YKF-B017-3	50.8	




Double Circular Glass Clamp

双边圆形玻璃夹

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Suit Glass 适配玻璃
YKF-B017-4	Flat	6/6.76/8/8.76/10mm
YKF-B017-5	42.4	
YKF-B017-6	50.8	




Single Circular Glass Clamp

单边圆形玻璃夹

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Suit Glass 适配玻璃
YKF-B017-7	Flat	6/6.76/8/8.76/10mm
YKF-B017-8	42.4	
YKF-B017-9	50.8	



Glass Clamp R45*63mm-Flat Back

玻璃夹R45*63平底

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	Base	Suit Glass 适配玻璃
Y KF-B005-12	17	45	63	28.5	12	Flat	10/12mm

Bar Holder 小管接头

10mm Bar Holder-Hole Through

10mm小管接头通孔

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Fittings 配件
YKF-B007-1	10	Flat	Screw 配螺丝
YKF-B007-2	10	33.7	
YKF-B007-3	10	38.1	
YKF-B007-4	10	42.4	
YKF-B007-5	10	48.3	
YKF-B007-6	10	50.8	

12mm Bar Holder-Hole Through

12mm小管接头通孔

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Fittings 配件
YKF-B007-7	12	Flat	Screw 配螺丝
YKF-B007-8	12	33.7	
YKF-B007-9	12	38.1	
YKF-B007-10	12	42.4	
YKF-B007-11	12	48.3	
YKF-B007-12	12	50.8	

22mm Crossbar Holder

22mm小管固定件

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316


Model No. 产品代码	A	B	C	D	Fittings 配件
YKF-B007-13	61	51	12.3	Flat	Screw 配螺丝
YKF-B007-14	61	51	12.3	42.4	
YKF-B007-15	61	51	12.3	50.8	

25mm Crossbar Holder

25mm小管固定件

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	Fittings 配件
YKF-B007-16	91.5	80	25	14.3	Flat	Screw 配螺丝
YKF-B007-17	91.5	80	25	14.3	42.4	
YKF-B007-18	91.5	80	25	14.3	50.8	




Glass Clamp R45*63mm-Radius Back

玻璃夹R45*63弧底

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	F	Suit Glass 适配玻璃
Y KF-B005-13	11.5	45	57.5	28.5	12	42.5	10/12mm




Glass Clamp 38*52mm-Flat Back

玻璃夹38*52平底

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码							
Y KF-B005-14	19	38	52	25	11.5	Flat	8/10mm






Glass Clamp 38*52mm-Radius Back

玻璃夹38*52弧底

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码							
Y KF-B005-15	14.5	38	47.5	25	11.5	42.5	8/10mm



Bar Holder 小管接头

13mm Bar Holder-Hole Through
13mm小管接头通孔

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Fittings 配件
YKF-B007-19	13	Flat	Screw 配螺丝
YKF-B007-20	13	33.7	
YKF-B007-21	13	38.1	
YKF-B007-22	13	42.4	
YKF-B007-23	13	48.3	
YKF-B007-24	13	50.8	

10mm Bar Holder-One Side Hole
10mm小管接头盲孔

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Fittings 配件
YKF-B007-25	10	Flat	Screw 配螺丝
YKF-B007-26	10	33.7	
YKF-B007-27	10	38.1	
YKF-B007-28	10	42.4	
YKF-B007-29	10	48.3	
YKF-B007-30	10	50.8	

25mm Crossbar Holder
25mm小管固定件

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	E	Fittings 配件
YKF-B007-31	91.5	80	25	14.3	Flat	Screw 配螺丝
YKF-B007-32	91.5	80	25	14.3	42.4	
YKF-B007-33	91.5	80	25	14.3	50.8	

13mm Bar Holder-Hole Through
13mm小管接头通孔

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Fittings 配件
YKF-B007-34	13	Flat	Screw 配螺丝
YKF-B007-35	13	33.7	
YKF-B007-36	13	38.1	
YKF-B007-37	13	42.4	
YKF-B007-38	13	48.3	
YKF-B007-39	13	50.8	

Bar Holder 小管接头

10mm Bar Holder-One Side Hole
10mm小管接头盲孔

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Fittings 配件
YKF-B007-40	10	Flat	Screw 配螺丝
YKF-B007-41	10	33.7	
YKF-B007-42	10	38.1	
YKF-B007-43	10	42.4	
YKF-B007-44	10	48.3	
YKF-B007-45	10	50.8	

12mm Bar Holder-One Side Hole
12mm小管接头盲孔

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Fittings 配件
YKF-B007-46	12	Flat	Screw 配螺丝
YKF-B007-47	12	33.7	
YKF-B007-48	12	38.1	
YKF-B007-49	12	42.4	
YKF-B007-50	12	48.3	
YKF-B007-51	12	50.8	

13mm Bar Holder-One Side Hole
13mm小管接头盲孔

Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Fittings 配件
YKF-B007-52	13	Flat	Screw 配螺丝
YKF-B007-53	13	33.7	
YKF-B007-54	13	38.1	
YKF-B007-55	13	42.4	
YKF-B007-56	13	48.3	
YKF-B007-57	13	50.8	

Bar Connector
小管连接件

ModelNo:YKF-B007-58
产品代码:YKF-B007-58
Surface Finish:Satin/Mirror
表面处理：拉丝/镜面
Material:SUS304/316 Stainless Steel
材质：不锈钢304/316
Fittings:Fastener
配件:紧固件

Bar Connector
小管连接件

ModelNo:YKF-B007-59
产品代码:YKF-B007-59
Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质：不锈钢304/316
Fittings:Fastener
配件:紧固件

End Cap 管帽



Flat End Cap
平面管帽

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	Remark备注
YKF-HC005-1	42.4	3	14	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-HC005-2	50.8	3	20	



Flat End Cap with Screw
带牙平面管帽

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	D	Remark备注
YKF-HC005-5	42.4	3	14	M8	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-HC005-6	50.8	3	20	M10	



Radius End Cap with Screw
带牙弧面管帽

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	D	Remark备注
YKF-HC003-1	42.4	14	M8		Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-HC003-2	50.8	9.5	20	M10	



Domed End Cap
球面管帽

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	Remark备注
YKF-HC003-1	42.4	42.4	14	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-HC003-2	50.8	50.8	20	



Decorative End Cap
弯形扶手


Model No: YKF-HC007
产品代码：YKF-HC007
Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Remark: Could fit 1.2-2.0mm thickness tube
备注: 可加工适配1.2-2.0mm壁厚的圆管



90° Angle Wall Base
90度角壁式法兰

Model No: YKF-B011-2
产品代码：YKF-B011-2
Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质：不锈钢304/316



Flat Wall Base
平面壁式法兰

Model No: YKF-B011-1
产品代码：YKF-B011-1
Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质：不锈钢304/316



Square End Cap
方管帽

Model No: YKF-HC035
产品代码：YKF-HC035
Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质：不锈钢304/316
Remark: Could fit 2.0mm thickness square tube
备注: 可加工适配2.0mm壁厚的方管

End Cap 管帽



Single Slot Flat End Cap
单槽平面管帽

Model No: YKF-HC026
产品代码：YKF-HC026
Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质：不锈钢304/316
Remark: Could fit 1.2-2.0mm thickness slot tube
备注: 可加工适配1.2-2.0mm壁厚的槽管



Dentate End Cap
带齿管帽

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	Remark备注
YKF-HC026-1	38.1	15.6	10	Could fit 1.5mm thickness tube 可加工适配1.5mm壁厚的圆管
YKF-HC026-2	50.8	17.6	10	



Radius End Cap
弧面管帽

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316


Model No. 产品代码	A	B	C	Remark备注
YKF-HC003-1	38.1	5.5	10	Could fit 1.0-2.0mm thickness tube 可加工适配1.0-2.0mm壁厚的圆管
YKF-HC003-2	42.4	14		
YKF-HC003-3	50.8	9.5	20	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-HC003-4	63.5	12	22	

Point-fixed Glass 玻璃点支



One Way Arm Spider
单边玻璃爪

Model No: YKF-HH017-1
产品代码：YKF-HH017-1
Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质：不锈钢304/316
Fittings: Washer & Fastener
配件：垫片和紧固件



One Way Arm Spider
单边玻璃爪

Model No: YKF-HH017-2
产品代码：YKF-HH017-2
Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质：不锈钢304/316
Fittings: Washer & Fastener
配件：垫片和紧固件



One Way Arm Spider
单边玻璃爪

Model No: YKF-HH017-3
产品代码：YKF-HH017-3
Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质：不锈钢304/316
Fittings: Washer & Fastener
配件：垫片和紧固件



One Way Arm Spider
单边玻璃爪

Model No: YKF-HH017-4
产品代码：YKF-HH017-4
Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质：不锈钢304/316
Fittings: Washer & Fastener
配件：垫片和紧固件

Point-fixed Glass 玻璃点支

One Way Arm Spider

单边玻璃爪

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	Fittings 配件
YKF-HH017-5	Flat	Wsaheer & Fastener 垫片和紧固件
YKF-HH017-6	38.1	
YKF-HH017-7	42.4	
YKF-HH017-8	50.8	

Two Way Arm Spider

双边玻璃爪

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	Fittings 配件
YKF-HH017-9	Flat	Wsaheer & Fastener 垫片和紧固件
YKF-HH017-10	38.1	
YKF-HH017-11	42.4	
YKF-HH017-12	50.8	

Connector

玻璃连接件

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	Fittings 配件
YKF-SG014-1	42.4	Wsaheer & Fastener 垫片和紧固件
YKF-SG014-2	50.8	

Double Glass Spider

双边玻璃爪件

Model No: YKF-HH018
产品代码: YKF-HH018

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Adjustable Glass Bracket

铰接式玻璃支架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	Fittings 配件
YKF-HH004-1	Flat	Wsaheer 垫片
YKF-HH004-2	38.1	
YKF-HH004-3	42.4	
YKF-HH004-4	50.8	

Fixed Glass Bracket

固定式玻璃支架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	Fittings 配件
YKF-HH003-1	Flat	Wsaheer 垫片
YKF-HH003-2	38.1	
YKF-HH003-3	42.4	
YKF-HH003-4	50.8	

Stand Off

玻璃钉

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	Fittings 配件
YKF-SG014-3	38	12	30	Washer & SS304Screw 垫片和不锈钢304材质螺杆
YKF-SG014-4	48	12	50	
YKF-SG014-5	48	12	50	
YKF-SG014-6	50.8	12	50.8	

Tube Base 管座

Base Plate

平面底座

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-HC025-1	85	34.1	20	33.7
YKF-HC025-2	85	34.1	20	38.1
YKF-HC025-3	85	34	20	42.4
YKF-HC025-4	90	36	25	45
YKF-HC025-5	90	36	30	48.3
YKF-HC025-6	90	37.7	30	50.8

Base Plate with Screw Eye

带牙平面底座

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-HC025-7	85	34.1	20	33.7
YKF-HC025-8	85	34.1	20	38.1
YKF-HC025-9	85	34	20	42.4
YKF-HC025-10	90	36	25	45
YKF-HC025-11	90	36	30	48.3
YKF-HC025-12	90	37.7	30	50.8

Base Plate

平面底座

Model No:YKF-B001-1
产品代码:YKF-B001-1

Surface Finish: Raw Casting
表面处理: 铸造表面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Base Plate

圆底座

Model No:YKF-B001-2
产品代码:YKF-B001-2

Surface Finish: Raw Casting
表面处理: 铸造表面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Stainless Disc

底板

Model No:YKF-B001-3
产品代码:YKF-B001-3

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Base Cover

底盖

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
Y KF-HC034-1	23			Stamping 冲压件
Y KF-HC034-2	23			

Squaer Base Plate

方管座

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面
Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	Remark 备注
YKF-HC035-1	With Screw Eye 带定位孔
YKF-HC035-2	No screw Eye 不带定位孔

Stainless Disc


底板

Model No:YKF-B001-4
产品代码:YKF-B001-4

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Tube Base 管座




Base Plate
圆底座

Model No:YKF-HC034-3
产品代码:YKF-HC034-3

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Remark:Stamping
备注:冲压件



Single Plate Disc
单板式立柱底板

Model No:YKF-B002-2
产品代码:YKF-B002-2

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Square Upper Base
立柱方形上座



Model No:YKF-B010-2
产品代码:YKF-B010-2

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316



Double Plate Disc
双板式立柱底板

Model No:YKF-B002-1
产品代码:YKF-B002-1

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316




Square Column Base
立柱方形底座

Model No:YKF-B010-1
产品代码:YKF-B010-1

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Tube Connector 管件




180°Handrail Connector
直通

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-HC015-1	5	42.4	25	Could fit 1.0-2.0mm thickness tube 可加工适配1.0-2.0mm厚度的圆管
YKF-HC015-2	5	48.3	25	
YKF-HC015-3	5	50.8	25	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm厚度的圆管




90°Elbow
90度直角弯管

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-HC-010-1	47	42.4	25	Could fit 1.0-2.0mm thickness tube 可加工适配1.0-2.0mm厚度的圆管
YKF-HC-010-2	56	48.3	30	
YKF-HC-010-3	60	50.8	30	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm厚度的圆管

Tube Connector 管件




90°Round Elbow
90度圆角弯管

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-HC011-1	47	42.4	25	Could fit 1.0-2.0mm thickness tube 可加工适配1.0-2.0mm厚度的圆管
YKF-HC011-2	56	48.3	30	
YKF-HC011-3	60	50.8	30	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm厚度的圆管




180°Flush Tee
T型三通

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	Remark 备注
YKF-HC017-1	52	42.4	25	47	Could fit 1.0-2.0mm thickness tube 可加工适配1.0-2.0mm厚度的圆管
YKF-HC017-2	63.5	48.3	30	56	
YKF-HC017-4	70	50.8	30	60	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm厚度的圆管



90°Four Way Flush Tee
90度角四通

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	Remark 备注
YKF-HC017-1	52	42.4	25	47	Could fit 1.0-2.0mm thickness tube 可加工适配1.0-2.0mm厚度的圆管
YKF-HC017-2	63.5	48.3	30	56	
YKF-HC017-3	70	50.8	30	60	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm厚度的圆管




135°Connector
135度弯管

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-HC018-1	42.4	25	114	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm厚度的圆管
YKF-HC018-2	50.8	30	122	



90°Elbow
弯头

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	R	Remark 备注
YKF-HC012-4	82.4	42.4	25	82.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm厚度的圆管
YKF-HC012-5	95.4	50.8	30	95.4	
YKF-HC012-6	75	50.8	30	71	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm厚度的圆管



90°Flush Tee
90度圆角三通

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-HC036-1	47	42.4	25	Could fit 1.0-2.0mm thickness tube 可加工适配1.0-2.0mm厚度的圆管
YKF-HC036-2	56	48.3	30	
YKF-HC036-7	60	50.8	30	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm厚度的圆管



Adjustable Connector
活动连接弯头

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-HC021-1	51	42.4	25	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm厚度的圆管
YKF-HC021-2	61	50.8	30	



180°Single Slot Handrail
Connector 单槽直通

Model No: YKF-HC031
产品代码：YKF-HC031

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Remark: Could fit 1.2-2.0mm thickness slot tube
备注: 可加工适配1.2-2.0mm壁厚的槽管

Tube Connector 管件



90°Single Slot Elbow
90度单槽直角弯管

Model No: YKF-HC029
产品代码：YKF-HC029

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Remark: Could fit 1.2-2.0mm thickness slot tube
备注: 可加工适配1.2-2.0mm壁厚的槽管



180°Slot Flush Tee
槽管三通

Model No: YKF-HC039
产品代码：YKF-HC039

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Remark: Could fit 1.2-2.0mm thickness slot tube
备注: 可加工适配1.2-2.0mm壁厚的槽管



180°Square Handrail Connector
方型直通

Model No: YKF-HC040
产品代码：YKF-HC040

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Remark: Could fit 2.0mm square tube
备注: 可加工适配2.0mm壁厚的方管



90°Square Elbow
90度直角方形弯管

Model No: YKF-HC040
产品代码：YKF-HC040

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Remark: Could fit 2.0mm square tube
备注: 可加工适配2.0mm壁厚的方管




Multiple Direction Connector
万向弯头

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	Remark 备注
YKF-HC041-1	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-HC041-2	

Tube Support 管托



Universal Fitting
盲头圆形管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-HC027-1	42.4	25	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-HC027-2	50.8	35	50.8	



Adjustable Tube Support
可活动式管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-B003-1	38.1	38.1	
YKF-B003-2	42.4	38.1	
YKF-B003-3	50.8	38.1	
YKF-B003-4	38.1	42.4	
YKF-B003-5	42.4	42.4	
YKF-B003-6	50.8	42.4	

Tube Support 管托



90°Tube Support with Flat End Cap
90度铰接平面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-B003-7	42.4	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-B003-8	50.8	42.4	
YKF-B003-9	42.4	50.8	
YKF-B003-10	50.8	50.8	



Circle Tube Support with Flat End Cap
圆环铰接平面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-B003-15	35	42.4	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-B003-16	40	50.8	42.4	
YKF-B003-17	35	42.4	50.8	
YKF-B003-18	40	50.8	50.8	



Universal Tube Support
锥形铰接座管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	D	Remark 备注
YKF-B003-31	Flat	
YKF-B003-32	50.8	



Universal Tube Support with Flat End Cup
锥形铰接座带牙圆管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-B003-33	Flat	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-B003-34	50.8	42.4	
YKF-B003-35	Flat	50.8	
YKF-B003-36	50.8	50.8	



Circle Tube Support with Flat End Cap
圆环铰接平面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-B003-11	35	42.4	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-B003-12	40	50.8	42.4	
YKF-B003-13	35	42.4	50.8	
YKF-B003-14	40	50.8	50.8	



Articulated Tube Support
铰接式管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	C	D	Remark 备注
YKF-B003-19	38.1	61	14	Flat	Could fit 1.2-2.0 mm thickness tube 可加工适配1.2-2.0 mm壁厚的圆管
YKF-B003-20	38.1	61	14	38.1	
YKF-B003-21	38.1	61	14	42.4	
YKF-B003-22	38.1	61	14	50.8	
YKF-B003-23	42.4	69	14	Flat	
YKF-B003-24	42.4	69	14	38.1	
YKF-B003-25	42.4	69	14	42.4	
YKF-B003-26	42.4	69	14	50.8	
YKF-B003-27	50.8	74.5	16	Flat	
YKF-B003-28	50.8	74.5	16	38.1	
YKF-B003-29	50.8	74.5	16	42.4	
YKF-B003-30	50.8	74.5	16	50.8	

90°Tube Support with Radius End Cap
90度弧形面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-B003-37	42.4	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-B003-38	50.8	42.4	
YKF-B003-39	42.4	50.8	
YKF-B003-40	50.8	50.8	

Tube Support 管托



Circle Tube Support with Radius End Cap 圆环铰接弧面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-B003-41	35	42.4	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm 壁厚的圆管
YKF-B003-42	40	50.8	42.4	
YKF-B003-43	35	42.4	50.8	
YKF-B003-44	40	50.8	50.8	



180°Tube Support with Flat End Cap 180度铰接平面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-B003-53	Flat	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm 壁厚的圆管
YKF-B003-54	38.1	42.4	
YKF-B003-55	42.4	42.4	
YKF-B003-56	50.8	42.4	
YKF-B003-57	Flat	50.8	
YKF-B003-58	38.1	50.8	
YKF-B003-59	42.4	50.8	
YKF-B003-60	50.8	50.8	



90°Tube Support with Flat End Cap 90度平面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-B003-65	42.4	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm 壁厚的圆管
YKF-B003-66	50.8	42.4	
YKF-B003-67	42.4	50.8	
YKF-B003-68	50.8	50.8	



180°Tube Support with Flat End Cap 180度平面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-B003-45	Flat	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm 壁厚的圆管
YKF-B003-46	38.1	42.4	
YKF-B003-47	42.4	42.4	
YKF-B003-48	50.8	42.4	
YKF-B003-49	Flat	50.8	
YKF-B003-50	38.1	50.8	
YKF-B003-51	42.4	50.8	
YKF-B003-52	50.8	50.8	
YKF-B003-53	Flat	42.4	
YKF-B003-54	38.1	42.4	



90°Tube Support with Radius End Cap 90度弧面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-B003-61	42.4	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm 壁厚的圆管
YKF-B003-62	50.8	50.8	
YKF-B003-63	42.4	42.4	
YKF-B003-64	50.8	50.8	



180°Tube Support with Radius End Cap 180度铰接弧面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-B003-69	Flat	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm 壁厚的圆管
YKF-B003-70	38.1	42.4	
YKF-B003-71	42.4	42.4	
YKF-B003-72	50.8	42.4	
YKF-B003-73	Flat	50.8	
YKF-B003-74	38.1	50.8	
YKF-B003-75	42.4	50.8	
YKF-B003-76	50.8	50.8	
YKF-B003-77	Flat	42.4	
YKF-B003-78	38.1	42.4	

Tube Support 管托



90°Tube Support with Radius End Cap 90度弧面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-B003-78	Flat	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm 壁厚的圆管
YKF-B003-79	38.1	42.4	
YKF-B003-80	42.4	42.4	
YKF-B003-81	50.8	42.4	
YKF-B003-82	Flat	50.8	
YKF-B003-83	38.1	50.8	
YKF-B003-84	42.4	50.8	
YKF-B003-85	50.8	50.8	



Adjustable Square Tube Support 铰接式方形管托

Model No:YKF-B003-87
产品代码:YKF-B003-87

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Remark:Could fit 2.0mm thickness square tube
备注:可加工适配2.0mm壁厚的方管



Fixed Square Tube Support 固定式方形管托

Model No:YKF-B003-86
产品代码:YKF-B003-86

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Remark:Could fit 2.0mm thickness square tube
备注:可加工适配2.0mm壁厚的方管



Fixed Holder Support 小管固定管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	Model No. 产品代码	A	B
YKF-HH019-1	Flat	Flat	YKF-HH019-1-A	42.4	42.4
YKF-HH019-2	38.1	Flat	YKF-HH019-2-B	50.8	42.4
YKF-HH019-3	42.4	Flat	YKF-HH019-3-C	Flat	50.8
YKF-HH019-4	50.8	Flat	YKF-HH019-4-D	38.1	50.8
YKF-HH019-5	Flat	42.4	YKF-HH019-5-E	42.4	50.8
YKF-HH019-6	38.1	42.4	YKF-HH019-6-F	50.8	50.8



Adjustable Holder Support 小管活动式管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	Model No. 产品代码	A	B
YKF-HH019-7	Flat	Flat	YKF-HH019-7-A	42.4	42.4
YKF-HH019-8	38.1	Flat	YKF-HH019-8-B	50.8	42.4
YKF-HH019-9	42.4	Flat	YKF-HH019-9-C	Flat	50.8
YKF-HH019-10	50.8	Flat	YKF-HH019-10-D	38.1	50.8
YKF-HH019-11	Flat	42.4	YKF-HH019-11-E	42.4	50.8
YKF-HH019-12	38.1	42.4	YKF-HH019-12-F	50.8	50.8



Fixed Holder Support -Single Plate 单板小管固定管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH019-13	Flat	
YKF-HH019-14	38.1	
YKF-HH019-15	42.4	
YKF-HH019-16	50.8	

Tube Support 管托



Fixed Holder Support
-Double Plate 双板小管固定管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码		Remark 备注
YKF-HH019-17	Flat	
YKF-HH019-18	38.1	
YKF-HH019-19	42.4	
YKF-HH019-20	50.8	



Adjustable Holder Support
-Double Plate 双板小管活动式管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No; 产品代码	A	Remark 备注
YKF-HH019-25	Flat	
YKF-HH019-26	38.1	
YKF-HH019-27	42.4	
YKF-HH019-28	50.8	



Circle Tube Support with
Radius End Cap 圆形弧面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-HH021-1	35	42.4	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-HH021-2	40	50.8	42.4	
YKF-HH021-3	35	42.4	50.8	
YKF-HH021-4	40	50.8	50.8	



Mid Rail Support
圆形管架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码		Remark 备注
YKF-HH023-1	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管	
YKF-HH023-2		
YKF-HH023-3		



Adjustable Holder Support
-Single Plate 单板小管活动式管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码		A	Remark 备注
YKF-HH019-21	Flat		
YKF-HH019-22	38.1		
YKF-HH019-23	42.4		
YKF-HH019-24	50.8		



Circle Tube Support with
Flat End Cap 圆环平面管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	Remark 备注
YKF-HH020-1	35	42.4	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管
YKF-HH020-2	40	50.8	42.4	
YKF-HH020-3	35	42.4	50.8	
YKF-HH020-4	40	50.8	50.8	



Height Adjustable Tube
Support 可调高度管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码		A	Remark 备注
YKF-HH022-1	42.4		Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm 壁厚的圆管
YKF-HH022-2	50.8		



Dentate Tube Support
带齿管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码	A	B	C	D	Remark 备注
Y KF-H HO24-1	10	38.1	50.8	38.1	Could fit 1.5mm thickness tube 可加工适配1.5mm 壁厚的圆管
Y KF-HH024-2	13	50.8	42.4	42.4	



Tube Support 管托



180°Fixed Tube Support
固定式直杆管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码		A	Remark 备注
Y KF-HH025-1	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管	
Y KF-HH025-2	50.8		



180°Ajustable Tube Support
铰接式直杆管托

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Model No. 产品代码		A	Remark 备注
YKF-HH026-1	42.4	Could fit 1.2-2.0mm thickness tube 可加工适配1.2-2.0mm壁厚的圆管	
YKF-HH026-2	50.8		



Tube 管材



90° Slot Round Tube
90度双槽圆管

Model No:YKH-S06
产品代码:YKH-S06

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Diameter:50.8mm
外径:50.8mm

Thickness:1.5mm
壁厚:1.5mm



Double slot round tube
双槽圆管

Model No:YKH-S07
产品代码:YKH-S07

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Diameter:50.8mm
外径:50.8mm

Thickness:1.5mm
壁厚:1.5mm



Plate
板材

Model No:YKH-S08
产品代码:YKH-S08

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Thickness:6/10mm
壁厚:6/10mm



Regular Timber Tube
普通形木扶手

Model No:YKH-W02
产品代码:YKH-W02

Color:Teak/Sapele/African Padauk
颜色:柚木色/沙比利色/花梨木色

Spec:47*60/47*70/47*75/47*78/55*90mm
规格:47*60/47*70/47*75/47*78/55*90mm



Round Tube
圆形管

Model No:YKH-S01
产品代码:YKH-S01

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Diameter:38.1/42.4/50.8mm
外径:38.1/42.4/50.8mm

Thickness:1.2/1.5/1.6/2.0mm
壁厚:1.2/1.5/1.6/2.0mm



Single slot round tube
单槽圆管

Model No:YKH-S09
产品代码:YKH-S09

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质: 不锈钢304/316

Diameter:50.8mm
外径:50.8mm

Thickness:1.5mm
壁厚:1.5mm

Tube 管材



Square Tube
方形管

ModelNo:YKF-S10
产品代码:YKF-S10

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Spec:40*40mm Thickness:1.5mm
外径:40*40mm 壁厚:1.5mm



Timber Round Tube
圆形木扶手

ModelNo:YKH-W01
产品代码:YKH-W01

Color:Teak/Sapele/African Padauk
颜色:柚木色/沙比利色/花梨木色

Diameter:47/50/55/58/63mm
外径:47/50/55/58/63mm

Wall Base 墙座



90°Bend Tube Rack
90度弯形管架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH007-1	38.1	
YKF-HH007-2	42.4	
YKF-HH007-3	50.8	




Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-HH027-1	35	42.4	Adjustable Curved Rod with Two Holes Base 可调式弯杆配二孔底座
YKF-HH027-2	40	50.8	
YKF-HH027-3	40	63.5	



Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-HH028-1	35	42.4	Adjustable Curved Rod with Three Holes Base 可调式弯杆配三孔底座
YKF-HH028-2	40	50.8	
YKF-HH028-3	40	63.5	



Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-HH029-1	35	42.4	Adjustable Curved Rod with Protruding Base 可调式弯杆配凸台底座
YKF-HH029-2	40	50.8	
YKF-HH029-3	40	63.5	



Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-HH014-1	35	42.4	Adjustable Straight Rod with Two Holes Base 可调式直杆配二孔底座
YKF-HH014-2	40	50.8	
YKF-HH014-3	40	63.5	



Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-HH014-4	35	42.4	Adjustable Straight Rod with Three Holes Base 可调式直杆配三孔底座
YKF-HH014-5	40	50.8	
YKF-HH014-6	40	63.5	

Wall Base 墙座



Side Mounted Base
管夹座

ModelNo:YKF-B011
产品代码:YKF-B011

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316



Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-HH033-1	35	42.4	Fixed Curved Rod with Two Holes Base 固定式弯杆配二孔底座
YKF-HH033-2	40	50.8	
YKF-HH033-3	40	63.5	



Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-HH030-1	35	42.4	Fixed Curved Rod with Three Holes Base 固定式弯杆配三孔底座
YKF-HH030-2	40	50.8	
YKF-HH030-3	40	63.5	



Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-HH034-1	35	42.4	Fixed Curved Rod with Protruding Base 固定式弯杆配凸台底座
YKF-HH034-2	40	50.8	
YKF-HH034-3	40	63.5	



Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-HH031-1	35	42.4	Fixed Straight Rod with Two Holes Base 固定式直杆配二孔底座
YKF-HH031-2	40	50.8	
YKF-HH031-3	40	63.5	



Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	B	Remark 备注
YKF-HH035-1	35	42.4	Fixed Straight Rod with Three Holes Base 固定式直杆配三孔底座
YKF-HH035-2	40	50.8	
YKF-HH035-3	40	63.5	



Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	Remark 备注
YKF-HH032-1	Fixed Straight Rod with Protruding Base 固定式直杆配凸台底座
YKF-HH032-2	
YKF-HH032-3	



90°Bend Tube Rack
90度转角扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH036-1	42.4	Fixed Straight Rod with Two Holes Base 固定式直杆配二孔底座
YKF-HH036-2	50.8	
YKF-HH036-3	63.5	

Wall Base 墙座



90°Bend Tube Rack
90度转角扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH037-1	42.4	Fixed Straight Rod with Three Holes Base 固定式直杆配三孔底座
YKF-HH037-2	50.8	



180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH008-1	Flat	Adjustable Curved Rod with Two Holes Base 铰接式弯杆配二孔底座
YKF-HH008-2	38.1	
YKF-HH008-3	42.4	
YKF-HH008-4	50.8	



180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH008-9	Flat	Adjustable Curved Rod with Two Holes Base 铰接式弯杆配二孔底座
YKF-HH008-10	38.1	
YKF-HH008-11	42.4	
YKF-HH008-12	50.8	



180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH008-17	Flat	Fixed Curved Rod with Three Holes Base 固定式弯杆配三孔插座
YKF-HH008-18	38.1	
YKF-HH008-19	42.4	
YKF-HH008-20	50.8	



90°Bend Tube Rack
90度转角扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH038-1	42.4	Fixed Straight Rod with Protruding Base 固定式直杆配凸台底座
YKF-HH038-2	50.8	



180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH008-5	Flat	Adjustable Curved Rod with Three Holes Base 铰接式弯杆配三孔底座
YKF-HH008-6	38.1	
YKF-HH008-7	42.4	
YKF-HH008-8	50.8	



180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH008-13	Flat	Fixed Curved Rod with Two Holes Base 固定式弯杆配二孔插座
YKF-HH008-14	38.1	
YKF-HH008-15	42.4	
YKF-HH008-16	50.8	



180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH008-21	Flat	Fixed Curved Rod with Protruding Base 固定式弯杆配凸台底座
YKF-HH008-22	38.1	
YKF-HH008-23	42.4	
YKF-HH008-24	50.8	



180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH016-1	Flat	Adjustable Straight Rod with Two Holes Base 铰接式直杆配二孔底座
YKF-HH016-2	38.1	
YKF-HH016-3	42.4	
YKF-HH016-4	50.8	



180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH016-9	Flat	Adjustable Straight Rod with Protruding Base 铰接式直杆配凸台底座
YKF-HH016-10	38.1	
YKF-HH016-11	42.4	
YKF-HH016-12	50.8	




180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH016-17	Flat	Fixed Straight Rod with Three Holes Base 固定式直杆配三孔底座
YKF-HH016-18	38.1	
YKF-HH016-19	42.4	
YKF-HH016-20	50.8	



Wooden Wall Bracket
木螺钉墙座

ModelNo:YKF-HH039
产品代码:YKF-HH039

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Remark:For Wooden Wall
备注:木墙专用



180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH016-5	Flat	Adjustable Straight Rod with Three Holes Base 铰接式直杆配三孔底座
YKF-HH016-6	38.1	
YKF-HH016-7	42.4	
YKF-HH016-8	50.8	



180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH016-13	Flat	Fixed Straight Rod with Two Holes Base 固定式直杆配二孔底座
YKF-HH016-14	38.1	
YKF-HH016-15	42.4	
YKF-HH016-16	50.8	



180°Bend Tube Rack
180度扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	A	Remark 备注
YKF-HH016-21	Flat	Fixed Straight Rod with Protruding Base 固定式直杆配三孔底座
YKF-HH016-22	38.1	
YKF-HH016-23	42.4	
YKF-HH016-24	50.8	



Circle Tube Rack
圆环扶手托架

Surface Finish: Satin/Mirror
表面处理: 拉丝/镜面

Material: SUS304/316 Stainless Steel
材质：不锈钢304/316

Model No. 产品代码	Remark 备注
Y KF-HH040-1	one piece 一体
Y KF-HH040-2	ne piece with Cover 一体配盖子

Handrail



Y KH-S01



Y KH-S02



Y KH-S03



Y KH-S05



COLOR SAMPLE



Y KH-P01



Y KH-P02



Y KH-P03



Y KH-W01



Y KH-W02



Y KH-W03



Y KH-W04







Installation of Post Railing on Ground

平装护栏安装

Glass Staircase Pillar

玻璃护栏立柱

第一步：放线、钻孔

一、膨胀螺栓固定


- a.在完成的装饰面地板上安装

b.在结构面上安装，

用工具使安装表面平整,用水平尺检查平整度,安装前预先装好预埋件或者按照施工图的图示尺寸放线钻孔。放线，钻孔都在同一直线上，立柱之间的中心距离不大于1200 mm；

二、预埋件焊接固定

- 根据建筑设计图纸，在建筑混凝土结构浇筑时预埋埋件，埋件要求平整，保持统一高度，立柱之间的中心距离不大于1200 mm。



instrument. Embedded parts should be installed in advance before installation, and then set out route and drill holes according to drawings. Setting out route should be aligned with drilling of holes, and the width between two pillar-center should not exceed 1200mm.

Step 1 :Setting-out Route and Drilling Hole

1. Fixation of Expansion Bolt

- a. Install on the floor



b. Install on the structure panel

Flat the installation surface and then inspect the flatness with levelling

be installed in advance before installation, and then set out route and drill holes

.2. Welding of Embedded Parts

According to drawing, the embedded parts should be installed when pouring concrete structure, and the embedded parts should be horizontally installed, besides, the width between two pillar-center should not exceed 1200mm.



第二步：安装立柱

一、膨胀螺栓固定

- a.要找平安装面

b.钻孔后要对孔中残渣清理干净

c.将立柱底座的孔对准钻好的孔，插入膨胀螺栓，并敲打进去，使立柱与地面贴紧

d.拧紧膨胀螺栓的螺母，既上紧了立柱

二、预埋件焊接固定

- a.拉线，定位好立柱的安装位置

b.找平：预埋件存在不统一水平时，可采用钢片垫平，立柱具有调节功能的无需找平。

c.焊接固定立柱，立柱为不锈钢的，应采用不锈钢同类的焊条焊接。

Step 2: Installation of Pillars

1. Fixation of Expansion Bolt

- a. Flat the installation surface

b. Cleaning up slag in the holes after drilling

c. Align the hole in the bottom of pillar with the hole predrilled, insert expansion bolt and strike in, so the pillar could be stick to the ground.


d. Screw up the bolt so as to fix the pillar.

2. Welding of Embedded Parts

- a. Stretch wire straightly so as to determine the installation sites of pillar.

b. Add steel discs if the embedded parts are not horizontally installed, but this step is not necessary if the pillar is not adjustable.

c. The material of electrode should be the same as the one of pillar when welding.



第三步：安装扶手

1. 测量护栏所需要扶手的长度，并下料

2. 放线扶手固定座位置，在固定位置钻所需要的膨胀螺栓孔，将扶手固定固定在墙上

3. 将装饰盖套入扶手管，将扶手管套入固定座并放置立柱的支撑头上，调准

立柱并将扶手与立柱、固定座进行焊接或采用螺钉连接
4. 在两管交接转弯处用弯头进行焊接连接，两管加长连接采用焊接。
5. 焊缝处理，打磨方式

Step 3: Installation of Handrail

1.Measure the needed length of handrail,and determine the fitting needed.





2.Drill holes to screw in bolt, and fix handrail on the wall.

3.Sleeve cover plate around the handrail, and sleeve the handrail around the base plate, then place the handrail onto

the handrail supporter, adapt the handrail to supporter, and then connect them through welding or with bolt.

4.Weld handrails with elbow at turning, and welding is adopted when connecting two pieces of handrail.

5.Polish welded joints after welding.



第四步：安装玻璃

1. 先将立柱上玻璃夹上夹拆开，取出销钉

2. 将玻璃靠紧玻璃夹下夹，对正孔后插入销钉

3. 装上上夹，上螺钉，调准玻璃在上紧螺钉

Step 4 :Glass Installation

1.Dispatch the upper clamp on the pillar and take the dowel out.

2.Place glass into bottom clamp and insert dowel the hole in glass

and the hole in clamp coincident.

3.Resume the upper clamp and insert dowel.

第五步：清洁

将护栏清洁后，进行包裹保护，直到整个建筑工程完工，避免在其它施工对护栏造成损坏

Step 5:Cleaning


Wrap the post railing after cleaning until the construction work completes so as to avoid damages to it when constructing.



Installation of Post Railing on Staircase
楼梯护栏安装


第一步：放线、钻孔

1. 在同一跑楼梯两端护栏立柱找平安装面
2. 钻孔后要对孔中残渣清理干净
3. 将立柱底座的孔对准钻好的孔，插入膨胀螺栓，并敲打进去，使立柱与地面贴紧
4. 拧紧膨胀螺栓的螺母，既上紧了立柱



Step 1 :Setting-out Route and Drilling Hole


1. Level installation surface on each step.
2. Cleaning up slag in the holes after drilling;
3. Align the hole in the bottom of pillar with the hole predrilled, insert expansion bolt and strike in, so the pillar could be stick to the ground.
4. Screw up the bolt so as to fix the pillar.



第二步：安装立柱

- 一、膨胀螺栓固定
1. 要找平安装面
 2. 钻孔后要对孔中残渣清理干净
 3. 将立柱底座的孔对准钻好的孔，插入膨胀螺栓，并敲打进去，使立柱与地面贴紧
 4. 拧紧膨胀螺栓的螺母，既上紧了立柱


- 二、预埋件焊接固定
1. 拉线，定位好立柱的安装位置
 2. 找平：预埋件存在不统一水平时，可采用铜片垫平，立柱具有调节功能的无需找平。
 3. 焊接固定立柱，立柱为不锈钢的，应采用不锈钢同类的焊条焊接。



Step 2: Installation of Pillars





1. Fixation of Expansion Bolt
 - a. Flat the installation surface
 - b. Cleaning up slag in the holes after drilling
 - c. Align the hole in the bottom of pillar with the hole predrilled, insert expansion bolt and strike in, so the pillar could be stick to the ground.
 - d. Screw up the bolt so as to fix the pillar.
2. Welding of Embedded Parts
 - a. Stretch wire straightly so as to determine the installation sites of pillar.
 - b. Add steel discs if the embedded parts are not horizontally installed, but this step is not necessary if the pillar is not adjustable.
 - c. The material of electrode should be the same as the one of pillar when welding.

Glass Staircase Pillar
玻璃护栏立柱




第三步：安装扶手

1. 测量护栏所需要扶手的长度，并下料.
2. 将扶手采用焊接或螺钉固定扶手与立柱上，将扶手与两端的立柱固定起来
3. 连接各跑楼梯的扶手.



Step 3: Installation of Handrail

- 1.Measure the needed length of handrail,and determine the fitting needed.
- 2.Fix handrail onto pillar through welding or with screws, and then fix handrail and pillars on both sides.
- 3.Connect handrails of each stair.



第四步：安装中间立柱

1. 采用立柱靠扶手的方法找楼梯中间的立柱安装位置，并划线、

Step 4 : Middle Pillars Installation

- 1.Determine the installation sites of middle pillars by closing the pillars on handrails, and mark on the determined sites.
- 2.Drill holes and fix pillars, then connect handrails.

第五步：安装栏板

1. 测量玻璃栏板尺寸，并购置玻璃
2. 安装玻璃栏板，或其他栏板

Step 5 :Glass Installation


- 1.Determine the dimension of glass.
- 2.Glass installation.

第六步：清洁

将护栏清洁后，进行包裹保护，直到整个建筑工程完工，避免在其它施工对护栏造成损坏

Step 6:Cleaning

Wrap the post railing after cleaning until the construction work completes so as to avoid damages to it when constructing.



Matters Need Attention When Storing and Installing

STAINLESS STEEL MAINTENANCE ELUCIDATION

不锈钢维护说明

贮存、安装注意事项:

①卸货应避免磕碰，防止刮、擦伤;

②贮存应避免雨淋、撞击，并在干燥通风的环境中存放，并且避免腐蚀性介质的侵蚀。

③在安装时应采取保护措施，防止建筑护栏及配件表面有大量水泥砂浆，空气中灰尘等.请用防水防尘的包装材料包装本产品本体及配件，严禁含酸、碱性的液体物质腐蚀产品。

④将建筑护栏立柱用膨胀螺栓或预埋件焊接的方式固定于地面上,护栏配件用航空铆接、螺钉或焊接的方式固定在立柱上。

⑤确保各安装垫片及支撑垫片没有漏装。

⑥为了防止螺母松动，在上螺母时最好预先在膨胀螺栓涂上螺纹胶。

⑦装立柱时要保证立柱的垂直度。

⑧所有玻璃与金属之间均不能直接接触，应衬以柔性垫片、垫块；

不锈钢并不能说是完全意义上的不锈，在一些特定场合或者一些特定因素情况下，还是会被氧化，因此，对不锈钢表面必须进行定期的清理与保养。

1. 不锈钢常见污染及清理办法：
- ①不锈钢表面有灰尘以及易除掉污垢物的，可用肥皂、弱洗涤剂来清洗。
- ②不锈钢表面的商标、贴膜，用温水，弱洗涤剂来洗，粘结剂成份，使用酒精或有机溶剂(乙醚、苯)擦洗。
- ③不锈钢表面的油脂、油、润滑油污染，用柔软的布擦干净，然后用中性洗涤剂或氨溶液或用专用洗涤剂清洗。
- ④不锈钢表面有漂白剂以及各种酸附着，立即用水冲洗，

- ① Goods should be avoided being scratched and bruised when unloading;
- ② Goods should be stored in dry and ventilated place, and avoid being caught in the rain, being struck, or being corroded by corrosive medium;
- ③ Measures need to be taken to protect the surface of pillars and their accessories from being contaminated by cement mortar and dust. Pack the products with paper or cloth that can resist water and dust. Acidic or alkaline liquid is forbidden to contact with the goods;
- ④ Fix pillars onto ground with expansion bolt or through welding on embedded parts, and fix pillar accessories onto pillars with rivet or screws, or through welding on the pillars.
- ⑤ Insure there is no mounting pads and gaskets been neglected.
- ⑥ Coat expansion bolts with anaerobe in advance when screw nuts in case they get loosened;
- ⑦ Insure pillars are perpendicular to the ground when install them;
- ⑧ Add gaskets or cushion block between glass and hardware in case they contact directly.

Routine Maintenance

Stainless steel products should be cleaned and maintained regularly, as they will get rusted in terrible environment.

1.Some usual contaminants of stainless steel and cleaning method

- ① Soap and some other weak detergents could be used for dusts and other contaminants that could be eliminated easily;

- ② Brand paper and pad pasting could be washed away with warm water and weak detergents, and ethyl alcohol and organic solvent such as diethyl ether and benzene could be used to eliminate binder.

- ③ Grease, oil and lubricating oil sticking onto surface of stainless steel could be eliminated by wiping up with soft cloth, and then cleaning up with neutral detergent, ammonia solution or special purpose detergent.

- ④ If there are decolorizer and other acid liquid stick onto surface, wash up immediately with water, and then with ammonia solution or neutral soda liquid, and at last with neutral detergent or warm water.
- ⑤ Rainbow-like stripes emerged on surface of

再用氨溶液或中性碳酸苏打水溶液浸洗，用中性洗涤剂或温水洗涤。

⑤不锈钢表面有彩虹纹，是过多使用洗涤剂或油引起，洗涤时用温水中性洗涤可洗去。

⑥不锈钢表面污物引起的锈，可用10%硝酸或研磨洗涤剂洗涤，也可用专门的洗涤药品洗涤。

⑦不锈钢表面溅上水泥或灰浆应在它们凝固之前用大量的水冲洗掉，否则很难甚至不可能在不留痕迹的情况下把干的凝固的灰浆从不锈钢表面上除掉。

⑧由于手工用具的铁渣斑痕、切割砂轮粉尘的沉积、氧乙炔燃烧的喷溅和同碳钢部件长时间接触所产生的碳钢污染，可以用专用胶或百分之十的磷酸液进行清理，然后用氨水漂洗，再用冷水进行冲洗；或用草酸液湿润15分钟，再用冷水冲洗，揩干。

- 2.日常保养注意事项
- ①注意不要发生表面划伤现象。不要用粗糙和尖锐的物料去擦洗不锈钢表面，特别是镜面抛光的产 品，要用柔软一点的，不易脱落的布料去擦洗，拉丝表面，要顺着纹路去擦，不然很容易弄花表面。
- ②避免使用含漂白成分以及研磨剂的洗涤液、钢丝球、研磨工具等，为避免残余洗涤液，腐蚀不锈钢表面，洗涤结束时要用洁净水冲洗表面。
- ③化学制剂和清理措施有关的健康、安全 和环境要求应在使用之前确定。其中包括废污水/废酸液的排放、塑胶膜的处理等。

- 3.保养周期
- 不锈钢产品每年通常至少要进行一至二次的定期清洗,按环境的不同我们可适当应用不同的清洁周期：

部位	环境结构	乡镇区域 次/年	城市区域 次/年	工业区域		海岸区域	
				一般环境 次/年	腐蚀性环境 次/年	一般环境 次/年	腐蚀性环境 次/年
室外	无污染物沉积物残留	1~2	1~2	2~3	3~4	2~3	3~4
	有污染物沉积物残留	2~3	3~4	3~4	4~5	3~4	4~5
室内	无污染物沉积物残留	1~2	2~3	3~4	4~5	3~4	4~5
	有污染物沉积物残留	2~3	4~5	4~5	5~6	4~5	5~6

Environment		villages and towns (times per year)	city (times per year)	Industrial district		coastal district	
Location	Environment			General environment (times per year)	corrosion environment (times per year)	General environment (times per year)	corrosion environment (times per year)
out-door	without contaminants accumulated	lor 2	lor 2	2 or 3	3 or 4	2 or 3	3 or 4
	with contaminants accumulated	2 or 3	3 or 4	3 or 4	4 or 5	3 or 4	4 or 5
In-door	without contaminants accumulated	lor 2	2 or 3	3 or 4	4 or 5	3 or 4	4 or 5
	with contaminants accumulated	2 or 3	4 or 5	4 or 5	5 or 6	4 or 5	5 or 6

stainless still are caused by excessive use of detergent or oil, and they could be washed up by warm water.

- ⑥ Rust caused by contaminants could be washed up with liquid contains 10% of nitric acid or with special detergent.

- ⑦ Cement and mortar splashed onto stainless steel should be washed away before they get solidified, or it will be difficult to eliminate them with stainless steel intact.

- ⑧ Contaminants such as scum caused by using of tools,dusts produced by using of abrasive cut-off wheel,splashed slag created when oxyacetylene flaming, and carbon steel contaminant caused by long-time-contact with carbon steel, could be eliminated with special glue or liquid contains 10% of phosphoric acid,then ammonium hydroxide,and at last cold water;or with oxalicacid wets stainless steel for 15 minutes, then wash up with cold water, and dry at last.


- 2 Matters Need Attention in Daily Maintenance
- ① Wipe surface of stainless steel, especially mirror-finished stainless steel, with soft cloth to avoid damaging products. Wipe along the grain on the surface when it comes to drawbench-surface

- ② It should be avoided to use scrubbing solution with bleaching composition, steel-wire-ball or lapping tool to wash up stainless steel. Do not forget to clean up with water after washing up.

- ③ Be clear of regulations about disposition of chemical agent and regulations about environmental protection and health.Regulations about emissions of sewage and acidliquid,and disposition of plastic film should be specially noted.

3. Maintenance Period

S.s products should be cleaned once to twice one year. Different maintenance period could be adopted according to local environment the products applied.



BEIT AL KAREEMA GENERAL TRADING LLC

5 17A St, Al Khabaisi, Dubai P.O.Box 10776

Email: info@beitalkareema.com

Phone: +971568111688/+971544771239